

FILE COPY

CHECKED FOR COMPLETENESS
OF PARAMETERS ORDERED BY:

Tighe 2-10-11

**OLIN CORPORATION
WILMINGTON
WIL-4
SC5042, SC5104, SC5141**

**KATAHDIN ANALYTICAL SERVICES, INC.
600 TECHNOLOGY WAY
SCARBOROUGH, ME 04074**

TABLE OF CONTENTS

Total number of pages: 273

SAMPLE DATA PACKAGE		0000001		
Narrative	-----	0000002	to	0000004
Supporting Documents	-----	0000005	to	0000009
Chain of Custody Record	-----	0000010	to	0000028
Login Report	-----	0000029	to	0000033

SAMPLE DATA SUMMARY

Report of Analytical Results	-----	A0000001	to	A0000066
------------------------------	-------	----------	----	----------

DMF DATA

QC Summary	-----	1000001		
Sample Data	-----	1000002	to	1000009
Standards Data	-----	1000010	to	1000072
Raw QC Data	-----	1000073	to	1000104
Logbooks and Supporting Documents	-----	1000105	to	1000136
		1000137	to	1000143

CONVENTIONAL AND PHYSICAL ANALYTICAL DATA

QC Summary	-----	5000001		
Sample Data	-----	5000002	to	5000005
Raw Data	-----	5000006	to	5000026
		5000027	to	5000031

SAMPLE DATA PACKAGE

SDG NARRATIVE
KATAHDIN ANALYTICAL SERVICES
OLIN CORPORATION
WILMINGTON
WIL-4
SC5042, SC5104, SC5141

Sample Receipt

The following samples were received on August 27, 29 and September 2, 2009 and were logged in under Katahdin Analytical Services work order number SC5042, SC5104, and SC 5141 for a hardcopy due date of September 22, 2009.

KATAHDIN	OLIN CORPORATION
<u>Sample No.</u>	<u>Sample Identification</u>
SC5042-1	OC-SB-403-0.0/1.0-X
SC5042-2	OC-SB-403-6.0/8.0-X
SC5042-3	OC-SB-404-5.0/7.0-X
SC5042-4	OC-SB-409-0.0/1.0-X
SC5042-5	OC-SB-409-6.0/8.0-X
SC5042-6	OC-SB-411-0.0/1.0-X
SC5042-7	OC-SB-411-4.7/6.7-X
SC5104-1	OC-SB-410-0.0/1.0-X
SC5104-2	OC-SB-410-6.0/8.0-D
SC5104-3	OC-SB-410-6.0/8.0-X
SC5104-4	OC-SB-444-0.0/1.0-X
SC5104-5	OC-SB-444-5.0/7.0-X
SC5104-6	OC-SB-449-0.0/1.0-X
SC5104-7	OC-SB-451-0.0/1.0-X
SC5104-8	OC-SB-451-2.5/4.5-D
SC5104-9	OC-SB-451-2.5/4.5-X
SC5104-10	OC-EBK-005
SC5141-1	OC-SB-442-0.0/1.0-X
SC5141-2	OC-SB-442-8.0/10-DU
SC5141-3	OC-SB-442-8.0/10-XX

The samples were logged in for the analyses specified on the chain of custody form. All problems encountered and resolved during sample receipt have been documented on the applicable chain of custody forms.

We certify that the test results provided in this report meet all the requirements of the NELAC standards unless otherwise noted in this narrative or in the Report of Analysis.
Sample analyses have been performed by the methods as noted herein.

Should you have any questions or comments concerning this Report of Analysis, please do not hesitate to contact your Katahdin Analytical Services Project Manager, **Andrea J. Colby**. This narrative is an integral part of the Report of Analysis.

Organics Analysis

The samples of SDG WIL-4 were analyzed in accordance with "Test Methods for Evaluating Solid Wastes: Physical/Chemical Methods." SW-846 , 2nd edition, 1982 (revised 1984), 3rd edition, 1986, and Updates I, II, IIA, III, IIIA, and IIIB 1996, 1998 & 2004, Office of Solid Waste and Emergency Response, U.S. EPA, and/or for the specific methods listed below or on the Report of Analysis. Samples SC5104-3, SC5104-9 and SC5141-3 were used for the matrix spike (MS) and matrix spike duplicate (MSD), as per client request. Some manual integrations may have been performed due to split peaks and/or corrected baselines. All have been flagged with an "M" (software-generated) on the pertinent quantitation reports.

8033M DMF Analysis

The sample with the client ID OC-SB-410-6.0/8.0-X (laboratory ID SC5104-3) exceeds the 19-character limit of the Katahdin Analytical Services' organics forms processing system when appended with the MSD designation. Therefore, the first three characters ("OC-") in the client ID for this sample were omitted on all forms for the sample, MS, and MSD analyses.

The sample with the client ID OC-SB-451-2.5/4.5-X (laboratory ID SC5104-9) exceeds the 19-character limit of the Katahdin Analytical Services' organics forms processing system when appended with the MSD designation. Therefore, the first three characters ("OC-") in the client ID for this sample were omitted on all forms for the sample, MS, and MSD analyses.

The sample with the client ID OC-SB-442-8.0/10-XX (laboratory ID SC5141-3) exceeds the 19-character limit of the Katahdin Analytical Services' organics forms processing system when appended with the MSD designation. Therefore, the first three characters ("OC-") in the client ID for this sample were omitted on all forms for the sample, MS, and MSD analyses.

Sample SC5104-10 could not be analyzed within hold time due to instrumentation issues. The solenoid valve needed to be replaced. The client was contacted and informed the laboratory to analyze the sample out of hold time and narrate. The sample was analyzed five days out of hold time.

Samples SC5042-1, 2, 3, 4, 7, SC5104-1, 4, 5, 6, 7, 8, 9, 10, and SC4141-2 were manually integrated for the surrogate diethylformamide (DEF). The specific reasons for the manual integrations are indicated on the raw data by the manual integration codes (M1-M11). These codes are further explained in the attachment following this narrative.

Samples SC5141-2, 3 and the MS/MSD's WG68398-4, 5, 6, 7, 8 and 9 had high recoveries for the surrogate diethylformamide, which were outside of the laboratory established acceptance limits.

The closing calibration verification (CV) (file BCI4178) had high responses for dimethylformamide and the surrogate diethylformamide, which resulted in %D's that were outside of the laboratory acceptance limits of 25%. Since a high response would indicate a high bias and DMF was not detected above the MDL in the method blank and associated three samples, the samples were not reanalyzed. The recoveries of DMF may be biased high in the associated LCS/LCSD and MS/MSD's. The associated samples SC5141-2, 3 and the MS/MSD's WG68398-4, 5, 6, 7, 8 and 9 had high recoveries for the surrogate DEF, which were outside of the laboratory established acceptance limits.

There were no other protocol deviations or observations noted by the organics laboratory staff.


Wet Chemistry Analysis

The samples of SDG WIL-4 were analyzed in accordance with the specific methods listed on the Report of Analysis.

Analyses for total solids were performed according to "Annual Book of ASTM Standards", Method D2216-98 "Standard Test Method for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass".

All analyses were performed within analytical holding times, and all quality control criteria were met.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Operations Manager or the Quality Assurance Officer as verified by the following signature.



Leslie Dimond
09.29.09

Leslie Dimond
Quality Assurance Officer

Katahdin Analytical Services, Inc.

Manual Integration Codes For GC/MS, GC, HPLC and/or IC

M1	Peak splitting.
M2	Well defined peaks on the shoulders of the other peaks.
M3	There is additional area due to a coeluting interferant.
M4	There are negative spikes in the baseline.
M5	There are rising or falling baselines.
M6	The software has failed to detect a peak or misidentified a peak.
M7	Excessive peak tailing.
M8	Analysis such as GRO, DRO and TPH require a baseline hold.
M9	Peak was not completely integrated as in GC/MS.
M10	Primary ion was correctly integrated, but secondary or tertiary ion needed manual integration as in GC/MS.
M11	For GC analysis, when a sample is diluted by 1:10 or more, the surrogate is set to undetected and then the area under the surrogate is manually integrated.
M12	Manual integration saved in method due to TurboChrom floating point error.

Katahdin Analytical Services, Inc.

Sample Receipt Condition Report

Client:	MACTEC / olin	KAS PM:	AJC	Sampled By:	Client
Project:		KIMS Entry By:	DD	Delivered By:	KAS
KAS Work Order#:	SC 5041 /SC 5042/SC 5047	KIMS Review By:	b/c	Received By:	DP
SDG #:	Cooler: 1 of 1	Date/Time Rec.:	8/27/09 0935		

Receipt Criteria	Y	N	EX*	NA	Comments and/or Resolution
1. Custody seals present / intact?		✓			
2. Chain of Custody present in cooler?	✓				
3. Chain of Custody signed by client?	✓				
4. Chain of Custody matches samples?	✓				
5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun.	✓				Temp (°C): 1.9
Samples received at <6 °C w/o freezing?	✓				Note: Not required for metals analysis.
Ice packs or ice present?	✓				The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data.
If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool?				✓	Note: No cooling process required for metals analysis.
6. Volatiles free of headspace: Aqueous: No bubble larger than a pea Soil/Sediment: Received in airtight container? Received in methanol? Methanol covering soil?				✓ ✓ ✓ ✓	
7. Trip Blank present in cooler?				✓	
8. Proper sample containers and volume?	✓				
9. Samples within hold time upon receipt?	✓				
10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 Sulfide - >9 Cyanide – pH >12				✓ ✓	

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

6000006

Katahdin Analytical Services, Inc.

Sample Receipt Condition Report

Client: Mueller	KAS PM: AJC	Sampled By: Client
Project:	KIMS Entry By: DD	Delivered By: Client
KAS Work Order#: SC5104 / SC5105 / SC5106	KIMS Review By: MC	Received By: KM
SDG #:	Cooler: 1 of 1	Date/Time Rec.: 8-29-29 0800

Receipt Criteria	Y	N	EX*	NA	Comments and/or Resolution
1. Custody seals present / intact?	✓				
2. Chain of Custody present in cooler?	✓				
3. Chain of Custody signed by client?	✓				
4. Chain of Custody matches samples?	✓				
5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun.	✓				Temp (°C): 19
Samples received at <6 °C w/o freezing?	✓				Note: Not required for metals analysis.
Ice packs or ice present?	✓				The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data.
If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool?				✓	Note: No cooling process required for metals analysis.
6. Volatiles free of headspace: Aqueous: No bubble larger than a pea Soil/Sediment: Received in airtight container? Received in methanol? Methanol covering soil?	✓			✓ - ✓	
7. Trip Blank present in cooler?	✓				
8. Proper sample containers and volume?	✓				
9. Samples within hold time upon receipt?	✓				
10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 Sulfide - >9 Cyanide – pH >12				✓ ✓ ✓	

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

0000007

Katahdin Analytical Services, Inc.

Sample Receipt Condition Report

Client:	Mac Tec / Olin	KAS PM:	AJC	Sampled By:	client
Project:		KIMS Entry By:	DD	Delivered By:	Fed Ex
KAS Work Order#:	SC5141 / SC5142	KIMS Review By:	AC	Received By:	DD
SDG #:	SC5143	Cooler:	1 of 1	Date/Time Rec.:	9-2-09 0955

Receipt Criteria	Y	N	EX*	NA	Comments and/or Resolution
1. Custody seals present / intact?	✓				
2. Chain of Custody present in cooler?	✓				
3. Chain of Custody signed by client?	✓				
4. Chain of Custody matches samples?	✓				
5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun.	✓				Temp (°C): 2.3
Samples received at <6 °C w/o freezing?	✓				Note: Not required for metals analysis.
Ice packs or ice present?	✓				The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data.
If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool?				✓	Note: No cooling process required for metals analysis.
6. Volatiles free of headspace: Aqueous: No bubble larger than a pea Soil/Sediment: Received in airtight container?	✓				
Received in methanol?			✓		
Methanol covering soil?			✓		
7. Trip Blank present in cooler?	✓				
8. Proper sample containers and volume?	✓				
9. Samples within hold time upon receipt?	✓				
10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 Sulfide - >9 Cyanide – pH >12				✓	
				✓	

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

Olin Wilmington OU1 Soil Sampling Categories

There will be three categories of samples submitted to the laboratories during the soil sampling program based primarily on the depth of soil locations. These categories will be identified in notes provided with the chain of custody submitted with samples. The following categories are included:

Category 1

Soil boring samples 0'-1': request that all samples are analyzed and reported in the normal project turnaround time (TAT).

Category 2

Soil boring samples from the 1'-10' interval: All samples are analyzed. Rush TAT is requested on a subset of analyses as indicated below:

VOCs: rush 7-day TAT

SVOCs: NDMA, and phthalic anhydride: normal 30-day TAT

DMF: normal 21-day TAT

Hydrazine: rush 7 day TAT

Metals: normal 30-day TAT (except mercury)

Mercury: 10 day TAT

Hexavalent Chromium: 10 day TAT

Formaldehyde/acetaldehyde: normal TAT

Anions: normal TAT

Ammonia: normal TAT

Category 3

Soil boring samples from >10 ft: Sample are held with analysis pending. For a subset of analyses the samples will be extracted and held by the lab pending instructions from MACTEC-Olin.

VOCs: hold pending results of Category 2

SVOCs: extract and hold pending results of Category 2

NDMA: extract and hold pending results of Category 2

DMF: extract and hold pending results of Category 2

Hydrazine: hold pending results of Category 2

Metals: hold pending results of Category 2

Mercury: hold pending results of Category 2

Hexavalent Chromium: hold pending results of Category 2

Phthalic anhydride: extract and hold pending results of Category 2

Formaldehyde/acetaldehyde: run normal TAT

Anions: run normal TAT

Ammonia: run normal TAT

For rush TAT samples the laboratory will provide preliminary results with a narrative and sample results summary report. The lab will also provide data on a preliminary data EDD. Final result and supporting data packages will be provided in the normal TAT for the project.

SC5041 / SC5042 | Sc. 5047 Katahdin - Soil

Page 1 of 6

Client:	Olin Corporation	Client Project #:	6107090016	INVOICE INFO		Shaded Areas for office use only
Address:	3855 North Ocoee St. Suite 200	Work Site ID:	Wilmington, MA	Company Name:		Olin Corp
		Reports Sent To:	Steve Morrow	Company Contact:		ERG Accounts Payable
Phone:	423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com	Email Rpt: _____
Requested Turnaround Time (SPECIFY)		Regulatory Programs:	MADEP MCP	Superfund	Address:	Same as Client
Standard	Rush	Report Requirements:	Level IV Package	Level II Package	Phone:	Email
(Lab Approval Required)		EDD Requirements:	MACTEC EQUIS EZ EDD	Job #	Quote #	PO #

MACTEC										Comments (Special Instructions)																			
Sample ID		Date/Time Collected		Fractionation (T)		QC Code (2)		Sample Matrix (3)		Composelite (G) or Grab (G)		Total # of Containers		DMF (Mod 8033 - GC/NPD)		DPM (Mod 8008 - HPLC)		Opxx / Kemperc (8000B - HPLC)		Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Thydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Zn AV		<--Preservative Type (4)		<--Bottle Type (5)	
OC-SB-402-0/01.0-XXX		8/26/2009 11:45:00		T		FS		SO		G		1		X		X		X		X		X		X		X		X	

MACTEC

Special Instructions For Lab

Notes:

- 1) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
- 5) Bottle Type: G = Glass, P = Plastic, V = Volumetric Glassware, AG = Amber Glass, AV = Amber Vial, AGV = Amber Glass Vial, AGA = Amber Glass Vial, AVA = Volumetric Vial, AVG = Volumetric Vial, AGAV = Amber Vial, AGAV = Volumetric Vial

Relinquished:	_____ Date: <u>8/27/04</u>	Time: <u>09:30</u>	Received: <u>8/27/04</u>	Time: <u>09:30</u>			
Relinquished:	_____ Date: <u>8/27/04</u>	Time: <u>/ /</u>	Received: <u>/ /</u>	Time: <u>/ /</u>			
Cooler?	Y / N	MADEP Requirement	Samples Iced?	Y / N			
Temp @ receipt:	<u>72</u>	Deg C	Preservation / pH checked?	Y / N			
Date:	<u>8/27/04</u>	Time:	<u>09:30</u>	Date:	<u>8/27/04</u>	Time:	<u>09:30</u>

Katahdin - Soil

Page 2 of 6

MACTEC											Comments (Special Instructions)			
Sample ID		Date/Time Collected												
OC-SB-402-7.5/9.5-XXX		8/26/2009	T	FS	SO	G	1		X					
OC-SB-407-0.0/1.0-XXX		8/26/2009	T	FS	SO	G	1		X					
OC-SB-407-26/28-XXX		8/26/2009	T	FS	SO	G	1		X					
OC-SB-407-8.0/10-XXX		8/26/2009	T	FS	SO	G	1		X					
		10:20:00												
Fraction (1)	QC Code (2)	QC Code (3)	Sample Matrix (3)	Composite Matrix (G)	Total # of Containers	CR+6 (7199)	DMF (Mod 8033 - GC/NPD)	Opx / Kemper (8000B - HPLC)	Perchlorate (6850)	Hydrazine, MMH, UDMM (Mod 8315 LC/MS/MS)	Category 2			
G	P	G	V	V	-	-	-	-	-	Zn AV	-	-	<-Preservative Type (4)	Category 1
G	P	G	V	V	-	-	-	-	-	-	-	-	<-Bottle Type (5)	Category 3

Special Instructions For Lab

Notes:

- 1) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2) QC Codes: F S = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
- 5) Bottle Type: G = Glass, P = Plastic, V = Plastic, VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Relinquished: <i>Jayne</i>	Date: <i>8/27/09</i>	Time: <i>9:30</i>	Received: <i>Amesbury MD</i>	Date: <i>8/27/09</i>	Time: <i>9:30</i>	Temp @ receipt: <i>45</i> Deg C	Cooler ? Y / N	MADEF Requirement Samples Iced? Y / N
Relinquished: _____	Date: _____	Time: _____	Received: _____	Date: _____	Time: _____	By: _____ Date: _____ Time: _____	Preservation / pH checked? Y / N	

Katoholin - Soil

Page 3 of 6

Client:	Olin Corporation	Client Project #:	6107090016	INVOICE INFO				Shaded Areas for office use only	
Address:	3855 North Ocoee St. Suite 200 Cleveland, TN 37312	Work Site ID:	Wilmington, MA	Company Name: Olin Corp Company Contact: ERG Accounts Payable					
Phone:	423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com	Email Rpt:	Address:	Same as Client	
Requested Turnaround Time (SPECIFY)				Regulatory Programs:	MADEP MCP	Superfund	Phone:	Email	
Standard	Rush	(Lab Approval Required)	Report Requirements	Level IV Package	Level II Package	EDD Requirements:	MACTEC EQUIS EZ EDD	Job #	Quote #
								Lab SDG #	PO #

MACTEC										Comments (Special Instructions)									
Fraction (1)										Fraction (2)									
Sample Matrix (3)										Composite Matrix (G) or Grab (G)									
Total # of Containers	G	P	G	V	V	V	V	V	V	DMF (Mod 8033 - GC/NPD)	DPEX / Kemperore (8000B - HPLC)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Zn	-	<-Preservative Type (4)				
Cr+6 (7199)	-	-	-	-	-	-	-	-	-	Perchlorate (6850)	Perchlorate (6850)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	AV	-	<-Bottle Type (5)				
Cr+6 (3060A / 7199)	-	-	-	-	-	-	-	-	-	DMF (Mod 8033 - GC/NPD)	DPEX / Kemperore (8000B - HPLC)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	AG	-					
Cr+6 (7199)	-	-	-	-	-	-	-	-	-	DMF (Mod 8033 - GC/NPD)	DPEX / Kemperore (8000B - HPLC)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Zn	-					
Sample ID	Date/Time Collected	QC Code (1)	QC Code (2)	FS	SO	G	1	X											
OC-SB-403-0 0/1 0-XXX	8/26/2009 1:25:00 PM	T	T																

Special Instructions For Lab

Notes:

- 1.) Fraction T = Total. D = Dissolved. S = SPLP. C = TCLP. N = Not Applicable
- 2.) QC Codes FS = Field Sample. TB = Trip Blank. FD = Field Duplicate. EB = Equipment Blank. MS = Matrix Spike. MSD = Matrix Spike Duplicate. PE = Performance Evaluation Sample. FB = Field Blank
- 3.) Sample Matrix GW = Groundwater. SW = Surface Water. DW = Drinking Water. SO = Soil. SD = Sediment. BW = Blank Vialer. NAL = Non-Aqueous Liquid. PR = Product. O = Oil
- 4.) Preservation Type HA = Hydrochloric Acid. NI = Nitric Acid. SA = Sulfuric Acid. SH = Sodium Hydroxide. Zn = Zinc Acetate. ME = Methanol. DI = DI Water
- 5.) Bottle Type G = Glass. P = Plastic. V = Plastic. V = 40mL VOA Glass Vial. AG = Amber Glass. AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement
Temp @ receipt:	Deg C
Preservation / pH checked?	Y / N
By:	Date:

Relinquished: Jayne Date: 8/27/09 Time: 0930 Received: 0930 Date: 8/27/09 Time: / / Received: / / Date: / / Time: / /

Relinquished: Cooper Date: / / Time: / / Received: / / Date: / / Time: / /

MACTEC

Special Instructions For Lab

Notes:

- Notes:

 - 1) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
 - 2) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
 - 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
 - 4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
 - 5) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement
	Samples Iced? Y / N
	Temp @ Receipt: _____ Deg C
	Preservation / pH checked? Y / N

MACTEC

MACTEC			Comments (Special Instructions)																							
Sample ID	Date/Time Collected	Fraction (1)	QC Code (2)	Sample Matrix (3)	Composite (C) or Grab (G)	Total # of Containers	Cr+6 (3060A / 7199)	Cr+6 (7199)	DMF (Mod 8033 - GC/NPD)	Opx / Kemperore (8000B - HPLC)	Perchlorate (6850)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Zn AV	-	-	<--Preservative Type (4)	<--Bottle Type (5)							
OC-SB-411-0/1.0-XXX	8/26/2009 10:20:00	T	FS	SO	G	1	X	X																		
OC-SB-411-4.7/6.7-XXX	8/26/2009 10:35:00	T	FS	SO	G	1		X																		

Special Instructions For Lab

Notes:

- 1.) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
 2.) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
 3.) Sample Matrix GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NL = Non-Aqueous Liquid, PR = Product, O = Oil
 4.) Preservation Type HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
 5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Relinquished: <u>8/27/09</u>	Date: <u>8/27/09</u>	Time: <u>0930</u>	Received: <u>8/27/09</u>	Time: <u>0930</u>	Cooler ? Y / N	MADEP Requirement
					Temp @ receipt: _____	Deg C
					Preservation / pH checked? Y / N	
					By: _____	Date: _____

8/27/09 *8/27/09* *8/27/09* *8/27/09* *8/27/09* *8/27/09* *8/27/09*

samples off
dropped lab on
to lab

SC516
SC515
SC514

Kata kodiin -Sdi'

Page 1 of 7

Client: Olin Corporation		Client Project #: 6107090016	INVOICE INFO		Shaded Areas for office use only	
Address: 3855 North Ocoee St. Suite 200 Cleveland, TN 37312		Work Site ID: Wilmington, MA	Company Name: Olin Corp			
		Reports Sent To: Steve Morrow	Company Contact: ERG Accounts Payable			
Phone: 423-336-4511		Fax: 423-336-1466	Email: SGIMorrow@olin.com	Email Rpt:	Address: Same as Client	
requested Turnaround Time (SPECIFY)		Regulatory Programs: MADEP MCP _____ Report Requirements Level IV Package _____ EDD Requirements: MACTEC EQUISE EZ EDD _____	Superfund _____ Level II Package _____		Phone: Email	
standard _____	Rush _____	(Lab Approval Required) _____			Job # _____	Quote # _____
					Lab SDG # _____	PO # _____

MACTEC | Preservative Type (4) | Bottle Type (5)

Special Instructions For Lab

100

- Notes.

 - 1) Fraction: T = Total, D = Dissolved, S = SPLP C = TCLP N = Not Applicable
 - 2) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Blank, MSD = Matrix Spike, MSE = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
 - 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
 - 4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
 - 5) Patho Tox: C = Class D - Ocular, V = 40mL VOA Glass Vial, AC = Amber Glass AV = 40mL VOA Amber Glass Vial

Cooler? Y / N	MADEP Requirement Samples Iced? Y / N
Temp @ receipt:	_____ Deg C
Preservation / pH checked? Y / N	
By:	Date: _____

Relinquished: Gregory

Re 000015

MACTEC			Sample ID	Date/Time Collected	Fraction (1)	QC Code (2)	Sample Matrix (3)	Composite Test (C) or Grab (G)	Total # of Containers	Cr+6 (3060A / 7199)	DMF (Mod 8033 - GC/NPD)	DMF (Mod 8033 - GC/NPD)	Opx / Kemperle (8000B - HPLC)	Perchlorate (6850)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Comments (Special Instructions)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G	P	G	V	V	V	V	V	V	V	Cr+6 (7199)	DMF (Mod 8033 - GC/NPD)	DMF (Mod 8033 - GC/NPD)	Opx / Kemperle (8000B - HPLC)	Perchlorate (6850)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	
-	-	-	-	-	-	-	-	-	-	Cr+6 (3060A / 7199)							
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								
-	-	-	-	-	-	-	-	-	-								

OC-SB-410-17/19-XXX	8/27/2009 11:15:00	T	FS	SO	G	1	X											
OC-SB-410-6/08.0-DUP	8/27/2009 10:15:00	T	FD	SO	G	1	X										Field Duplicate	
OC-SB-410-6/08.0-MSD	8/27/2009 10:15:00	T	M	SO	G	1	X										Same Jar as MS	
OC-SB-410-6/08.0-XMS	8/27/2009 10:15:00	T	S	D	G	1	X										Matrix Spike	
OC-SB-410-6/08.0-XXX	8/27/2009 10:15:00	T	M	SO	G	1	X										Category 2	
OC-SB-444-0/01.0-XXX	8/27/2009 1:20:00 PM	T	FS	SO	G	1	X										Category 1	
OC-SB-444-12/14-XXX	8/27/2009 2:00:00 PM	T	FS	SO	G	1	X										Category 3	

Special Instructions For Lab

Notes:

- 1) Fraction T = Total, D = Dissolved, S = Dissolved, C = TCLP, N = Not Applicable
- 2) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Blank, MS = Performance Evaluation Sample, FB = Field Blank
- 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = Plastic, AG = VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement
Temp @ receipt: _____	Samples Iced? Y / N

Relinquished: Sig Date: 8/29/09 Time: 0800 Received: 8/29/09 Date: 8/29/09 Time: 0800
Relinquished: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____ Received: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____

6

Katahdin-Soil

Page 3 of 7

MACTEC

Special Instructions For Lab

100

- 1) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
 2) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
 4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
 5) Bottles Types: C = Clear, B = Black, V = Vial, VOA = Glass Vial, ACG = Amber Glass, AV = Acrylic Vial, GL = Glass Vial

Cooler? Y / N	MADEP Requirement Samples Iced? Y / N
Temp @ receipt:	_____ Deg C
Preservation / pH checked? Y / N	
By: _____ Date: _____	

Katahdin - So. I

Page 4 of 7

Client: Olin Corporation	Client Project #: 6107090016	INVOICE INFO										Shaded Areas for office use only			
Address: 3855 North Ocoee St. Suite 200	Work Site ID: Wilmington, MA											Company Name: Olin Corp			
	Reports Sent To: Steve Morrow											Company Contact: ERG Accounts Payable			
Phone: 423-336-4511	Fax: 423-336-1466	Email: SGMorrow@olin.com	Email Rpt:											Address: Same as Client	
Requested Turnaround Time (SPECIFY)	Regulatory Programs: MADEP MCP Superfund											Phone: Email			
Standard _____	Rush _____	Report Requirements Level IV Package	Level II Package											Job # _____	Quote # _____
(Lab Approval Required)	EDD Requirements: MACTEC EQUIS EZ EDD											Lab SDG #	PO #		
MACTEC															
Sample ID	Date/Time Collected	Fraction (1)	QC Code (2)	Sample Matrix (3)	Total # of Containers	Composite Matrix (3)	Cr+6 (3060A / 7199)	DMF (Mod 8033 - GC/NPD)	Opx / Kemperle (8000B - HPLC)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Zn AV	-	<--Preservative Type (4)		
OC-SB-451-0/01-0-XXX	8/28/2009 11:20:00	T	FS	SO	G	1	X						<--Bottle Type (5)		
													Comments (Special Instructions)		
													Category 1		

Special Instructions For Lab

Notes:

- 1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2.) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass Vial, AV = 40mL VOA Amber Glass Vial.

Cooler? Y / N	MADEP Requirement Samples Iced? Y / N
Temp @ receipt: _____	Deg C
Preservation / pH checked? Y / N	By: _____ Date: _____ Time: _____
By: _____ Date: _____ Time: _____	Time: _____

John Lue
Relinquished: _____ Date: 8/29/09 Time: 0800 Received: _____ Date: _____ / _____ / _____ Time: _____

John Lue
Relinquished: _____ Date: _____ / _____ / _____ Time: _____ Received: _____ Date: _____ / _____ / _____ Time: _____

MACTEC		Sample ID	Date/Time Collected	Comments (Special Instructions)																					
Fraction (1)	QC Code (2)			Sample Matrix (3)			Composite Matrix (3)			Total # of Containers			Cr+6 (7199)			DMF (Mod 8033 - GC/NPD)			DMF (Mod 8033 - GC/NPD)			<--Preservative Type (4)			<--Bottle Type (5)
OC-SB-451-18/20-XXX	8/28/2009 12:50:00	T	FS	SO	G	1	X																		
OC-SB-451-2.5/4.5-DUP	8/28/2009 11:40:00	T	FD	SO	G	1	X																		
OC-SB-451-2.5/4.5-MSD	8/28/2009 11:40:00	T	M	SO	G	1	X																		
OC-SB-451-2.5/4.5-XMS	8/28/2009 11:40:00	T	M	SO	G	1	X																		
OC-SB-451-2.5/4.5-XXX	8/28/2009 11:40:00	T	FS	SO	G	1	X																		

Special Instructions For Lab

Notes:

- 1.) Fraction T = Total D = Dissolved, S = SPLP C = TCLP N = Not Applicable
- 2.) QC Codes FS = Field Sample TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Zinc Acetate ME = Methanol, DI = DI Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial

Cooler ? Y / N	MADEP Requirement
Temp @ receipt: _____	Deg C

Relinquished: Big Blue Date: 8/29/09 Time: 0800 Received: Yours Date: 8/29/09 Time: 0800
 Relinquished: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____ Received: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____

000099

Client: Olin Corporation		Client Project #: 6107090016		INVOICE INFO		Shaded Areas for office use only	
Address: 3855 North Ocoee St. Suite 200		Work Site ID: Wilmington, MA		Company Name: Olin Corp			
Cleveland, TN 37312		Reports Sent To: Steve Morrow		Company Contact: ERG Accounts Payable			
Phone: 423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com	Email Rpt:	Address:	Same as Client
Requested Turnaround Time (SPECIFY)		Regulatory Programs: MADEP MCP		Superfund		Phone:	Email
Standard	Rush (Lab Approval Required)	Report Requirements	Level IV Package	Level II Package		Job #	Quote #
		EDD Requirements:	MACTEC EQUIS EZ EDD			Lab SDG #	PO #

Special Instructions For Lab

100

- 2) QC Codes, FS = Field Sample, TB = Trip Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3) Sample Matrix, GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4) Preservation Type, HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate.

5) Rattle Type, G = Glass, P = Plastic, V = 40ml, VOA Glass, VAC = Acrylic Glass, AV = 40ml, VCA Acrylic Glass, VNL = Non-Returnable Glass Vials

Relinquished: <u>This box</u>	Date: <u>8/29/09</u>	Time: <u>0800</u>	Received: <u>Karen</u>	Date: <u>8/29/09</u>	Time: <u>0800</u>	Time: <u>8/29/09</u>
Relinquished: _____	Date: _____ / _____ / _____	Time: _____	Received: _____	Date: _____ / _____ / _____	Time: _____ / _____ / _____	Time: _____
Cooler ? Y / N	MADEP Requirement	Samples Iced? Y / N	Temp @ receipt: _____ Deg C	Preservation / pH checked? Y / N	By: _____	Date: _____

Shipped
on 4/10/11 Tuesdays
Sc 5141
Sc 5142
Sc 5143

Kataholin - Soil /

Page 1 of 9

Client:	Olin Corporation	Client Project #:	6107090016	INVOICE INFO		Shaded Areas for office use only	
Address:	3855 North Ocoee St Suite 200	Work Site ID:	Wilmington, MA	Company Name:		Olin Corp	
		Reports Sent To:	Steve Morrow	Company Contact:		ERG Accounts Payable	
Phone:	423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com	Email Rpt:	Same as Client
Requested Turnaround Time (SPECIFY)	Regulatory Programs: MADEP MCP Superfund		Level IV Package		Address:		
Standard	Rush	(Lab Approval Required)	EDD Requirements:	MACTEC EQUIS E2 EDD	Phone:	Email	
				Job #	Quote #		
				Lab SDG #	PO #		

MACTEC										Comments (Special Instructions)																					
Sample ID		Date/Time Collected		Fraction (1)		QC Code (2)		Sample Matrix (3)		Composite Matrix (3)		Total # of Containers		Cr+6 (7199)		DMF (Mod 8033 - GC/NPD)		Opx / Kemppore (8000B - HPLC)		Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Mod 8315 LC/MS/MS)		Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Mod 8315 LC/MS/MS)		<--Preservative Type (4)		<--Bottle Type (5)	
OC-SB-442-0/1.0-XXX		8/31/2009		T		FS		SO		G		1		X														Category 1			

Special Instructions For Lab

Notes:

- 1.) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, ZN = Zinc Acetate, ME = Methanol, DI = DI Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Relinquished: <u>Jay</u>	Date: <u>09/01/09</u>	Time: <u>1800</u>	Received: <u>Mr. D</u>	Date: <u>9/2/09</u>	Time: <u>1455</u>	Cooler? Y / N	MADEP Requirement Samples Iced? Y / N
Relinquished: <u> </u>	Date: <u> / / </u>	Time: <u> / / </u>	Received: <u> </u>	Date: <u> / / </u>	Time: <u> / / </u>	Temp @ receipt: _____	Deg C
Relinquished: <u> </u>	Date: <u> / / </u>	Time: <u> / / </u>	Received: <u> </u>	Date: <u> / / </u>	Time: <u> / / </u>	Preservation / pH checked? Y / N	By: _____ Date: _____

Katahdin Soil

Page 2 of 9

MACTEC

Sample ID	Date/Time Collected	Comments (Special Instructions)					
		-	-	-	Zn	AV	<--Preservative Type (4) <--Bottle Type (5)
OC-SB-442-20/22-XXX	8/31/2009 1:20:00 PM	T	FS	SO	G	1	
OC-SB-442-8/0/10-DUP	8/31/2009 12:10:00	T	FD	SO	G	1	
OC-SB-442-8/0/10-MSD	8/31/2009 12:10:00	T	M	SO	G	1	
OC-SB-442-8/0/10-XMS	8/31/2009 12:10:00	T	M	SO	G	1	
OC-SB-442-8/0/10-XXX	8/31/2009 12:10:00	T	FS	SO	G	1	
OC-SB-452-0/0/10-XXX	8/31/2009 10:30:00	T	FS	SO	G	1	
OC-SB-452-13/15-XXX	8/31/2009 11:00:00	T	FS	SO	G	1	

Sample ID	Date/Time Collected	Comments (Special Instructions)					
		-	-	-	Zn	AV	<--Preservative Type (4) <--Bottle Type (5)
OC-SB-442-20/22-XXX	8/31/2009 1:20:00 PM	X	X	X			
OC-SB-442-8/0/10-DUP	8/31/2009 12:10:00	X	X	X			
OC-SB-442-8/0/10-MSD	8/31/2009 12:10:00	X	X	X			
OC-SB-442-8/0/10-XMS	8/31/2009 12:10:00	X	X	X			
OC-SB-442-8/0/10-XXX	8/31/2009 12:10:00	X	X	X			
OC-SB-452-0/0/10-XXX	8/31/2009 10:30:00	X	X	X			
OC-SB-452-13/15-XXX	8/31/2009 11:00:00	X	X	X			

Special Instructions For Lab

Notes:

- 1) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, ZN = Zinc Acetate, ME = Methanol, DI = DI Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass Vial, AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement Samples Iced? Y / N
Temp @ receipt: _____	Deg C
Date: 8/2/09	Time: 0955
Date: _____ / _____ / _____	Time: _____ / _____ / _____
Preservation / pH checked? Y / N	
By: _____ Date: _____ / _____ / _____	

Relinquished: [Signature] Date: 07/01/09 Time: 1800 Received: 07/01/09 Date: 07/02/09 Time: 0955
Relinquished: [Signature] Date: _____ / _____ / _____ Time: _____ / _____ / _____ Received: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____

Katahdin - Soil

Page 3 of 9

MACTEC

Special Instructions For Lab

11

- 1) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
 2) OC Codes, FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
 3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
 4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

Cooler? Y / N	MADEP Requirement
Samples lead? Y / N	
Temp @ receipt:	Deg C
Preservation / pH checked? Y / N	
By:	Date:

Date: 07/01/09 Time: 1822 Received: Dr. Dr. Date: 07/01/09 Time: 0955
Date: / / Time: / Received: Date: / / Time: /

Katahdin - So/1

Page 4 of 9

Client:	Olin Corporation	Client Project #:	6107090016	INVOICE INFO	Shaded Areas for office use only
Address:	3855 North Ocoee St. Suite 200	Work Site ID:	Wilmington, MA	Company Name:	Olin Corp
	Cleveland, TN 37312	Reports Sent To:	Steve Morrow	Company Contact: ERG Accounts Payable	
Phone:	423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com
Requested Turnaround Time (SPECIFY)	Rush _____	Regulatory Programs:	MADEP MCP _____ Superfund _____	Email Rpt:	Same as Client
Standard _____	(Lab Approval Required)	Report Requirements	Level IV Package _____ Level II Package _____	Phone:	Email
EDD Requirements:	MACTEC EQUIS EZ EDD _____	Job #	Quote # _____	PO #	
		Lab SDG #			

MACTEC		Comments (Special Instructions)																																
Sample ID	Date/Time Collected	Fraction (1)		QC Code (2)		Sample Matrix (3)		Composite (C) or Grab (G)		Total # of Containers		DMF (Mod 8033 - GC/NPD)		DPEX / Kemperore (8000B - HPLC)		Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Thydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)		Zn, AV		<--Preservative Type (4)		<--Bottle Type (5)								
		T	FS	SO	G	1	X																											
OC-SB-458-0/1.0-XXX	8/31/2009 3:30:00 PM																																	

Special Instructions For Lab

Notes:

- 1.) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2.) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
- 5.) Bottle Type G = Glass, P = Plastic, V = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Cooler? Y / N	MADEP Requirement Samples Iced? Y / N
Temp @ receipt: <u>7/21/09</u>	Time: <u>0955</u>
Preservation / pH checked? Y / N	Deg C
By: _____	Date: _____
Relinquished: <u>Jay K</u>	Date: <u>07/21/09</u>
Relinquished: _____	Date: _____
Time: _____	Received: _____
By: _____	Date: _____
Time: _____	_____

Katalinia - Soi 1

Page 5 of 9

MACTEC		Sample ID	Date/Time Collected	QC Code (2)	Sample Matrix (3)	Composite (C) or Grab (G)	Total # of Containers	Cr+6 (7199)	Cr+6 (3060A / 7199)	DMF (Mod 8033 - GC/NPD)	DMP (Mod 8033 - GC/NPD)	Dplex / Kemperore (8000B - HPLC)	Perchlorate (6850)	(Mod 8315 LC/MS/MS)	Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS)	Comments (Special Instructions)	
Fraction (1)	QC Codes (2)																
OC-SB-460-0/1.0-XXX	9/1/2009 8:40:00 AM	OC-SB-460-30/32-XXX	9/1/2009 10:40:00	T	FS	SO	G	1	X								Category 1
OC-SB-460-5/7.5-XXX	9/1/2009 8:50:00 AM			T	FS	SO	G	1	X								Category 3
																	Category 2

Special Instructions For Lab

Notes:

- 1.) Fraction: T = Total, D = Dissolved, S = SPLL, C = TCLP, N = Not Applicable
- 2.) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement
Temp @ receipt: <u>0/05</u>	Time: _____
Preservation / pH checked? Y / N	By: _____ Date: _____ Time: _____

Relinquished: 09/01/09 Date: 09/01/09 Time: 19:00 Received: Dr. DJ Date: 09/01/09 Time: 09:55

Relinquished: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____ Received: _____ Date: _____ / _____ / _____ Time: _____ / _____ / _____

000025

Katahdin - Soil

Page 6 of 9

Client:	Olin Corporation	Client Project #:	6107090016	INVOICE INFO		Shaded Areas for office use only	
Address:	3855 North Ocoee St Suite 200	Work Site ID:	Wilmington, MA	Company Name:		Olin Corp	
		Reports Sent To:	Steve Morrow	Company Contact:		ERG Accounts Payable	
Phone:	423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com	Email Rpt:	
Requested Turnaround Time (SPECIFY)	Regulatory Programs: MADEP MCP		Superfund	Address:	Same as Client		
Standard	Rush	Report Requirements	Level IV Package	Phone:	Email		
	(Lab Approval Required)	EDD Requirements:	MACTEC EQUIS EZ EDD	Job #	Quote #		
				Lab SDG #	PO #		

MACTEC							
Sample ID	Date/Time Collected	Fracton (1)	QC Code (2)	Sample Matrix (3)	Composite Matrix (3)	Total # of Containers	Comments (Special Instructions)
OC-SB-464-0/1/0-XXX	9/1/2009 3:50:00 PM	T	FS	SO	G	1	X

Special Instructions For Lab

Notes:

- 1.) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- 2.) QC Codes: FS = Field Sample, FB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- 3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- 4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = Di Water
- 5.) Bottle Type: G = Glass, P = Plastic, V = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement
Samples Iced? Y / N	
Temp @ receipt: _____	Time: _____
Preservation / pH checked? Y / N	
By: _____	Date: _____

Dr. D

Date: 9/1/09 Time: 1800 Received: 9/2/09 0955

Date: / / Time: / / Received: / / Date: / / Time: / /

Relinquished: John

Date: 9/1/09 Time: 1800 Received: 9/2/09 0955

Date: / / Time: / / Received: / / Date: / / Time: / /

000026

Katahdin - Soil

Page 7 of 9

MACTEC

Special Instructions For Lab

100

- Notes:
 1.) Fraction T = Total D = Dissolved S = SPLP C = TCLP N = Not Applicable
 2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
 3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
 4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = MeOH, DI = DI Water
 5.) Bottle Type: G = Glass, P = Plastic, V = 40ml VOA Glass, Vial AG = Amber Glass, AV = 40ml VOA Amber Glass V-1

Cooler ? Y / N	MADEP Requirement
Samples Iced? Y / N	
Temp @ receipt:	_____ Deg C
Preservation / pH checked?	Y / N

By: _____ Date: _____

Relinquished: *Ziz*

Relinquished:

Date: _____ Time: _____ Preservation / pH checked? Y / N _____ Date: _____

Date: _____

Kat Baldwin - Water

Page 8 of 9

Client:	Olin Corporation	Client Project #:	6107090016	INVOICE INFO				Shaded Areas for office use only		
Address:	3855 North Ocoee St, Suite 200	Work Site ID:	Wilmington, MA	Company Name: Olin Corp						
		Reports Sent To: Steve Morrow				Company Contact: ERG Accounts Payable				
Phone:	423-336-4511	Fax:	423-336-1466	Email:	SGMorrow@olin.com	Email Rpt:		Address:	Same as Client	
Regulatory Programs: MADEP MCP Superfund _____				Phone:				Email		
Standard _____	Rush _____	Report Requirements Level IV Package		Level II Package						
EDD Requirements: MACTEC EQUIS EZ EDD _____										
				Job # _____	Quote # _____					
				Lab SDG # _____	PO # _____					

MACTEC											Comments (Special Instructions)																		
Sample ID		Date/Time Collected		Fraction (1)		QC Code (2)		Sample Matrix (3)		Composite Matrix (3)		Total # of Containers		Cr+6 (3060A / 7199)		Cr+6 (7199)		DMF (Mod 8033 - GC/NPD)		Qplex / Kemperore (8000B - HPLC)		Hydrazine, MMH, UDMH Mod 8315 LC/MS/MS)		Hydrazine, MMH, UDMH Mod 8315 LC/MS/MS)		Zn AV		<-Preservative Type (4)	
OC-EBK-006		8/31/2009 2:15:00 PM		T		EB		BW		G		2		X															

Special Instructions For Lab

Notes:

- Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable
- QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank
- Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil
- Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Zinc Acetate, ME = Methanol, DI = DI Water
- Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Cooler ? Y / N	MADEP Requirement Samples Iced? Y / N
Temp @ receipt: <u>9/2/09</u>	Time: <u>0955</u>
Preservation / pH checked? Y / N	By: _____
Date: <u>9/2/09</u>	Time: <u>/ /</u>
Date: <u>9/2/09</u>	Time: <u>/ /</u>

Relinquished: 9/2/09 Date: 9/2/09 Time: 0955 Received: Dr. D Date: 9/2/09 Time: 0955



Katahdin Analytical Services
Login Chain of Custody Report (Ino1)

Page: 1 of 2

Aug. 27, 2009
10:35 AM

Login Number: SC5042

Account: OLINCO001
Olin Corporation

Project:

Primary Report Address:

Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland, ME 04112-7050

csricardi@mactec.com

Primary Invoice Address:

ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland, TN 37312

NoWeb

Login Information

ANALYSIS INSTRUCTIONS :	
CHECK NO. :	
CLIENT PO# :	ERRE9844
COOLER TEMPERATURE :	
DELIVERY SERVICES :	Client
EDD FORMAT :	KAS075-CSV
PM :	AJC
PROJECT NAME :	Wilmington
QC LEVEL :	IV
REGULATORY LIST :	
REPORT INSTRUCTIONS :	Send rpt & EDD on CD, no hc. Email SDS to csricardi@mactec.com. Email EDD to kjchatterton@mactec.com. Data summary needs all forms.
SDG ID :	WIL-4
SDG STATUS :	Begin

Report CC Addresses:

Invoice CC Addresses:

Laboratory Sample ID	Client Sample Number	Collect Date/Time	Receive Date	PR	Verbal Date	Due Date	Mailed
SC5042-1	OC-SB-403-0.0/1.0-X	26-AUG-09 13:25	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					
SC5042-2	OC-SB-403-6.0/8.0-X	26-AUG-09 13:30	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					
SC5042-3	OC-SB-404-5.0/7.0-X	26-AUG-09 15:20	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					
SC5042-4	OC-SB-409-0.0/1.0-X	26-AUG-09 16:50	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					
SC5042-5	OC-SB-409-6.0/8.0-X	26-AUG-09 17:05	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					
SC5042-6	OC-SB-411-0.0/1.0-X	26-AUG-09 10:20	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					
SC5042-7	OC-SB-411-4.7/6.7-X	26-AUG-09 10:35	27-AUG-09			16-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid S	SW8033M	09-SEP-09	100g Glass		1		
Solid S	TS	25-SEP-09					

0000029



Katahdin Analytical Services
Login Chain of Custody Report (Ino1)

Page: 2 of 2

Aug. 27, 2009
10:35 AM

Login Number: SC5042

Account: OLINCO001
Olin Corporation

Project:

Laboratory Sample ID	Client Sample Number	Collect Date/Time	Receive Date	PR	Verbal Date	Due Date	Mailed
-------------------------	-------------------------	----------------------	-----------------	----	----------------	-------------	--------

Total Samples: 7 Total Analyses: 14

0000030



Katahdin Analytical Services

Login Chain of Custody Report (Ino1)

Page: 1 of 2

Aug. 31, 2009

01:07 PM

Login Number: SC5104

Account: OLINCO001
Olin Corporation

Project:

Primary Report Address:

Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland, ME 04112-7050

csricardi@mactec.com

Primary Invoice Address:

ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland, TN 37312

Report CC Addresses:

Invoice CC Addresses:

NoWeb

Login Information

ANALYSIS INSTRUCTIONS	:
CHECK NO.	:
CLIENT PO#	: ERRE9844
COOLER TEMPERATURE	: 1.9
DELIVERY SERVICES	: Client
EDD FORMAT	: KAS075-CSV
PM	: AJC
PROJECT NAME	: Wilmington
QC LEVEL	: IV
REGULATORY LIST	:
REPORT INSTRUCTIONS	: Send rpt & EDD on CD, no hc. Email SDS to csricardi@mactec.com. Email EDD to kjchatterton@mactec.com. Data summary needs all forms.
SDG ID	: WIL-4
SDG STATUS	: Cont.

Laboratory Sample ID	Client Sample Number	Collect Date/Time	Receive Date	PR	Verbal Date	Due Date	Mailed
SC5104-1	OC-SB-410-0.0/1.0-X	27-AUG-09 10:10	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		10-SEP-09	100g Glass		1		
Solid S TS		26-SEP-09					
SC5104-2	OC-SB-410-6.0/8.0-D	27-AUG-09 10:15	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		10-SEP-09	100g Glass		1		
Solid S TS		26-SEP-09					
SC5104-3	OC-SB-410-6.0/8.0-X	27-AUG-09 10:15	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		10-SEP-09	100g Glass		3		MS/MSD
Solid S TS		26-SEP-09					
SC5104-4	OC-SB-444-0.0/1.0-X	27-AUG-09 13:20	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		10-SEP-09	100g Glass		1		
Solid S TS		26-SEP-09					
SC5104-5	OC-SB-444-5.0/7.0-X	27-AUG-09 13:30	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		10-SEP-09	100g Glass		1		
Solid S TS		26-SEP-09					
SC5104-6	OC-SB-449-0.0/1.0-X	27-AUG-09 15:15	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		10-SEP-09	100g Glass		1		
Solid S TS		26-SEP-09					
SC5104-7	OC-SB-451-0.0/1.0-X	28-AUG-09 11:20	29-AUG-09			17-SEP-09	
Matrix Product Hold Date (shortest) Bottle Type Bottle Count Comments							
Solid S SW8033M		11-SEP-09	100g Glass		1		
Solid S TS		27-SEP-09					

0000031



Katahdin Analytical Services
Login Chain of Custody Report (Ino1)

Page: 2 of 2

Aug. 31, 2009
01:07 PM

Login Number: SC5104

Account: OLINCO001
Olin Corporation

NoWeb

Project:

Laboratory Sample ID	Client Sample Number	Collect Date/Time	Receive Date	PR	Verbal Date	Due Date	Mailed
SC5104-8	OC-SB-451-2.5/4.5-D	28-AUG-09 11:40	29-AUG-09			17-SEP-09	
<i>Matrix</i>	<i>Product</i>		<i>Hold Date (shortest)</i>	<i>Bottle Type</i>	<i>Bottle Count</i>		<i>Comments</i>
Solid	S SW8033M		11-SEP-09	100g Glass	1		
Solid	S TS		27-SEP-09				
SC5104-9	OC-SB-451-2.5/4.5-X	28-AUG-09 11:40	29-AUG-09			17-SEP-09	
<i>Matrix</i>	<i>Product</i>		<i>Hold Date (shortest)</i>	<i>Bottle Type</i>	<i>Bottle Count</i>		<i>Comments</i>
Solid	S SW8033M		11-SEP-09	100g Glass	3		MS/MSD
Solid	S TS		27-SEP-09				
SC5104-10	OC-EBK-005	27-AUG-09 08:00	29-AUG-09			17-SEP-09	
<i>Matrix</i>	<i>Product</i>		<i>Hold Date (shortest)</i>	<i>Bottle Type</i>	<i>Bottle Count</i>		<i>Comments</i>
Aqueous	S SW8033M		10-SEP-09	40mL Vial+HCl	2		

Total Samples: 10

Total Analyses: 19

0000032



Katahdin Analytical Services
Login Chain of Custody Report (Ino1)

Page: 1 of 1

Sep. 02, 2009
01:16 PM

Login Number: SC5141

Account: OLINCO001
Olin Corporation

Project:

Primary Report Address:

Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland, ME 04112-7050

csricardi@mactec.com

Primary Invoice Address:

ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland, TN 37312

NoWeb

Login Information

ANALYSIS INSTRUCTIONS :	
CHECK NO. :	
CLIENT PO# :	ERRE9844
COOLER TEMPERATURE :	2.3
DELIVERY SERVICES :	Fed Ex
EDD FORMAT :	KAS075-CSV
PM :	AJC
PROJECT NAME :	Wilmington
QC LEVEL :	IV
REGULATORY LIST :	
REPORT INSTRUCTIONS :	Send rpt & EDD on CD, no hc. Email SDS to csricardi@mactec.com. Email EDD to kjchatterton@mactec.com. Data summary needs all forms. EDD sample ID needs to match the ID on the COC.
SDG ID :	WIL-4
SDG STATUS :	End

Report CC Addresses:

Invoice CC Addresses:

Laboratory Sample ID	Client Sample Number	Collect Date/Time	Receive Date	PR	Verbal Date	Due Date	Mailed
SC5141-1	OC-SB-442-0.0/1.0-X	31-AUG-09 12:00	02-SEP-09			22-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid	S SW8033M	14-SEP-09	100g Glass		1		
Solid	S TS	30-SEP-09					
SC5141-2	OC-SB-442-8.0/10-DU	31-AUG-09 12:10	02-SEP-09			22-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid	S SW8033M	14-SEP-09	100g Glass		1		
Solid	S TS	30-SEP-09					
SC5141-3	OC-SB-442-8.0/10-XX	31-AUG-09 12:10	02-SEP-09			22-SEP-09	
<i>Matrix</i>	<i>Product</i>	<i>Hold Date (shortest)</i>	<i>Bottle Type</i>		<i>Bottle Count</i>		<i>Comments</i>
Solid	S SW8033M	14-SEP-09	100g Glass		3		MS/MSD
Solid	S TS	30-SEP-09					

Total Samples: 3

Total Analyses: 6

0000033

SAMPLE DATA SUMMARY PACKAGE

KATAHDIN ANALYTICAL SERVICES - ORGANIC DATA QUALIFIERS

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

- U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.
- * Compound recovery outside of quality control limits.
- D Indicates the result was obtained from analysis of a diluted sample. Surrogate recoveries may not be calculable.
- E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.
- J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).
 - or
- J Used for Pesticide/Aroclor analyte when there is a greater than 40% difference for detected concentrations between the two GC columns.
- B Indicates the analyte was detected in the laboratory method blank analyzed concurrently with the sample.
- N Presumptive evidence of a compound based on a mass spectral library search.
- A Indicates that a tentatively identified compound is a suspected aldol-condensation product.
- P Used for Pesticide/Aroclor analyte when there is a greater than 25% difference for detected concentrations between the two GC columns. (for CLP methods only).

KATAHDIN ANALYTICAL SERVICES – INORGANIC DATA QUALIFIERS

(Refer to BOD Qualifiers Page for BOD footnotes)

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

- U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.
- E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.
- J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).
- I-7 The laboratory's Practical Quantitation Level could not be achieved for this parameter due to sample composition, matrix effects, sample volume, or quantity used for analysis.
- A-4 Please refer to cover letter or narrative for further information.
- MCL Maximum Contaminant Level
- NL No limit
- NFL No Free Liquid Present
- FLP Free Liquid Present
- NOD No Odor Detected
- TON Threshold Odor Number
- H1 Please note that the regulatory holding time for pH is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. pH for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.
- H2 Please note that the regulatory holding time for DO is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. DO for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.
- H3 Please note that the regulatory holding time for sulfite is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Sulfite for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.
- H4 Please note that the regulatory holding time for residual chlorine is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Residual chlorine for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 15-SEP-2009 23:24
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 93.4

Lab ID: SC5042-1
Client ID: OC-SB-403-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.48	1.0	0.80	0.48	0.48
	diethylformamide		119%				

Page 01 of 01 BCI4131.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation

Lab ID: SC5042-2

Project: Wilmington

Client ID: OC-SB-403-6.0/8.0-X

PO No:

SDG: WIL-4

Sample Date: 08/26/09

Extracted by: JLP

Received Date: 08/27/09

Extraction Method: 8033M

Extraction Date: 09/08/09

Analyst: JLP

Analysis Date: 15-SEP-2009 23:39

Analysis Method: SW846 8033M

Report Date: 09/21/2009

Lab Prep Batch: WG68398

Matrix: SOIL

Units: mg/Kgdrwt

% Solids: 46.6

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	1.4	1.0	0.80	1.4	1.4
	diethylformamide		114%				

Page 01 of 01 BCI4132.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 15-SEP-2009 23:53
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 85.0

Lab ID: SC5042-3
Client ID: OC-SB-404-5.0/7.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.62	1.0	0.80	0.62	0.62
	diethylformamide		113%				

Page 01 of 01 BCI4133.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 00:07
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 94.6

Lab ID: SC5042-4
Client ID: OC-SB-409-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.70	1.0	0.80	0.70	0.70
	diethylformamide		117%				

Page 01 of 01 BCI4134.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 00:21
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 81.2

Lab ID: SC5042-5
Client ID: OC-SB-409-6.0/8.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.48	1.0	0.80	0.48	0.48
	diethylformamide		106%				

Page 01 of 01 BCI4135.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 00:35
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 93.7

Lab ID: SC5042-6
Client ID: OC-SB-411-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.62	1.0	0.80	0.62	0.62
	diethylformamide		110%				

Page 01 of 01 BCI4136.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 01:18
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 94.9

Lab ID: SC5042-7
Client ID: OC-SB-411-4.7/6.7-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.59	1.0	0.80	0.59	0.59
	diethylformamide		118%				

Page 01 of 01 BCI4139.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 01:32
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 89.8

Lab ID: SC5104-1
Client ID: OC-SB-410-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.60	1.0	0.80	0.60	0.60
	diethylformamide		116%				

Page 01 of 01 BCI4140.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 01:46
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 81.9

Lab ID: SC5104-2
Client ID: OC-SB-410-6.0/8.0-D
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.74	1.0	0.80	0.74	0.74
	diethylformamide		110%				

Page 01 of 01 BCI4141.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:01
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 83.3

Lab ID: SC5104-3
Client ID: SB-410-6.0/8.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.57	1.0	0.80	0.57	0.57
	diethylformamide		113%				

Page 01 of 01 BCI4142.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:15
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 95.4

Lab ID: SC5104-4
Client ID: OC-SB-444-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.66	1.0	0.80	0.66	0.66
	diethylformamide		122%				

Page 01 of 01 BCI4143.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:29
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 87.6

Lab ID: SC5104-5
Client ID: OC-SB-444-5.0/7.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.65	1.0	0.80	0.65	0.65
	diethylformamide		120%				

Page 01 of 01 BCI4144.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:43
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 92.4

Lab ID: SC5104-6
Client ID: OC-SB-449-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.68	1.0	0.80	0.68	0.68
	diethylformamide		119%				

Page 01 of 01 BCI4145.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:58
Report Date: 09/23/2009
Matrix: SOIL
% Solids: 96.4

Lab ID: SC5104-7
Client ID: OC-SB-451-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.70	1.0	0.80	0.70	0.70
	diethylformamide		121%				

Page 01 of 01 BCI4146.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 03:12
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 94.4

Lab ID: SC5104-8
Client ID: OC-SB-451-2.5/4.5-D
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.64	1.0	0.80	0.64	0.64
	diethylformamide		122%				

Page 01 of 01 BCI4147.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 03:26
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 95.7

Lab ID: SC5104-9
Client ID: SB-451-2.5/4.5-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.45	1.0	0.80	0.45	0.45
	diethylformamide		123%				

Page 01 of 01 BCI4148.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date:
Analysis Date: 15-SEP-2009 13:52
Report Date: 09/21/2009
Matrix: WATER
% Solids: NA

Lab ID: SC5104-10RA
Client ID: OC-EBK-005
SDG: WIL-4
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.020	1.0	0.020	0.020	0.0048
	diethylformamide		100%				

Page 01 of 01 BCI4091.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 11:37
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 87.3

Lab ID: SC5141-1
Client ID: OC-SB-442-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.50	1.0	0.80	0.50	0.50
	diethylformamide		136%				

Page 01 of 01 BCI4163.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 11:51
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 93.6

Lab ID: SC5141-2
Client ID: OC-SB-442-8.0/10-DU
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.47	1.0	0.80	0.47	0.47
	diethylformamide		*139%				

Page 01 of 01 BCI4164.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 12:05
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 87.8

Lab ID: SC5141-3
Client ID: SB-442-8.0/10-XX
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.58	1.0	0.80	0.58	0.58
	diethylformamide		*141%				

Page 01 of 01 BCI4165.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Lab ID: WG68398-1
Project: Wilmington Client ID: WG68398-Blank
PO No: SDG: WIL-4
Sample Date: Extracted by: JLP
Received Date: Extraction Method: 8033M
Extraction Date: 09/08/09 Analyst: JLP
Analysis Date: 15-SEP-2009 22:13 Analysis Method: SW846 8033M
Report Date: 09/21/2009 Lab Prep Batch: WG68398
Matrix: SOIL Units: mg/Kgdrwt
% Solids: 100

CAS#	Compound	Flags	Results	DF	PQL	Adj. PQL	Adj. MDL
	dimethylformamide	U	0.80	1.0	0.80	0.80	0.80
	diethylformamide		109%				

Page 01 of 01 BCI4126.d

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Lab ID: WG68660-1
Project: Wilmington Client ID: WG68660-Blank
PO No: SDG: WIL-4
Sample Date: Extracted by:
Received Date: Extraction Method: 8033M
Extraction Date: Analyst: JLP
Analysis Date: 15-SEP-2009 12:42 Analysis Method: SW846 M8033
Report Date: 09/21/2009 Lab Prep Batch: WG68660
Matrix: WATER Units: mg/L
% Solids: NA

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.020	1.0	0.020	0.020	0.0048
	diethylformamide		90%				

Page 01 of 01 BCI4086.d

FORM 2
SOIL DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES

Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

Level: (low/med) LOW

	CLIENT SAMPLE ID	LAB SAMPLE ID	SMC1 #	SMC2 #	SMC3 #	SMC4 #	TOT OUT
=====	=====	=====	====	====	====	====	====
01	WG68398-BLANK	WG68398-1	109				0
02	WG68398-LCS	WG68398-2	132				0
03	WG68398-LCSD	WG68398-3	129				0
04	OC-SB-403-0.0/1.0-X	SC5042-1	119				0
05	OC-SB-403-6.0/8.0-X	SC5042-2	114				0
06	OC-SB-404-5.0/7.0-X	SC5042-3	113				0
07	OC-SB-409-0.0/1.0-X	SC5042-4	117				0
08	OC-SB-409-6.0/8.0-X	SC5042-5	106				0
09	OC-SB-411-0.0/1.0-X	SC5042-6	110				0
10	OC-SB-411-4.7/6.7-X	SC5042-7	118				0
11	OC-SB-410-0.0/1.0-X	SC5104-1	116				0
12	OC-SB-410-6.0/8.0-D	SC5104-2	110				0
13	SB-410-6.0/8.0-X	SC5104-3	113				0
14	OC-SB-444-0.0/1.0-X	SC5104-4	122				0
15	OC-SB-444-5.0/7.0-X	SC5104-5	120				0
16	OC-SB-449-0.0/1.0-X	SC5104-6	119				0
17	OC-SB-451-0.0/1.0-X	SC5104-7	121				0
18	OC-SB-451-2.5/4.5-D	SC5104-8	122				0
19	SB-451-2.5/4.5-X	SC5104-9	123				0
20	OC-SB-442-0.0/1.0-X	SC5141-1	136				0
21	OC-SB-442-8.0/10-DU	SC5141-2	139*				1
22	SB-442-8.0/10-XX	SC5141-3	141*				1
23	SB-410-6.0/8.0-XMS	WG68398-4	152*				1
24	SB-410-6.0/8.0-XMSD	WG68398-5	153*				1
25	SB-451-2.5/4.5-XMS	WG68398-6	174*				1
26	SB-451-2.5/4.5-XMSD	WG68398-7	172*				1
27	SB-442-8.0/10-XXMS	WG68398-8	167*				1
28	SB-442-8.0/10-XXMSD	WG68398-9	169*				1

QC LIMITS
(61-137)

SMC1 = diethylformamide

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 2
WATER DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES

Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

	CLIENT SAMPLE ID	LAB SAMPLE ID	SMC1 #	SMC2 #	SMC3 #	SMC4 #	TOT OUT
01	WG68660-BLANK	WG68660-1	90				0
02	WG68660-LCS	WG68660-2	114				0
03	WG68660-LCSD	WG68660-3	116				0
04	OC-EBK-005	SC5104-10RA	100				0
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							

QC LIMITS

SMC1 = diethylformamide (56-154)

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

KATAHDIN ANALYTICAL SERVICES
LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/08/09
Analysis Date: 09/15/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-2 & WG68398-3
Client ID: WG68398-LCS & WG68398-LCSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	LCS SPIKE	LCSD SPIKE	SAMPLE CONC.	LCS CONC.	LCSD CONC.	LCS %REC.	LCSD %REC.	%RPD 9	QC. LIMIT 50	QC. LIMITS 70-130
dimethylformamide	10	10	NA	9.4	8.6	94	86	9	50	70-130

KATAHDIN ANALYTICAL SERVICES
LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 09/15/09
Report Date: 09/21/2009
Matrix: WATER

Lab ID: WG68660-2 & WG68660-3
Client ID: WG68660-LCS & WG68660-LCSD
SDG: WIL-4
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

COMPOUND	LCS SPIKE	LCSD SPIKE	SAMPLE CONC.	LCS CONC.	LCSD CONC.	LCS %REC.	LCSD %REC.	%RPD 9	QC. LIMIT	QC. LIMITS
dimethylformamide	0.10	0.10	NA	0.08	0.08	78	85	30	70-130	

KATAHDIN ANALYTICAL SERVICES
MATRIX SPIKE/MATRIX DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 09/16/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-4 & WG68398-5
Client ID: SB-410-6.0/8.0-XMS & SB-410-6.0/8.0-XMSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	MS SPIKE	MSD SPIKE	SAMPLE CONC.	MS CONC.	MSD CONC.	MS %REC.	MSD %REC.	%RPD LIMIT	QC. LIMITS
dimethylformamide	8.7	10	0.00	9.2	11	106	110	17	50 70-130

KATAHDIN ANALYTICAL SERVICES
MATRIX SPIKE/MATRIX DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 09/16/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-6 & WG68398-7
Client ID: SB-451-2.5/4.5-XMS & SB-451-2.5/4.5-XMSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	MS SPIKE	MSD SPIKE	SAMPLE CONC.	MS CONC.	MSD CONC.	MS %REC.	MSD %REC.	%RPD LIMIT	QC. LIMITS	
dimethylformamide	8.0	8.6	0.00	10	10	126	119	1.0	50	70-130

KATAHDIN ANALYTICAL SERVICES
MATRIX SPIKE/MATRIX DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 09/16/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-8 & WG68398-9
Client ID: SB-442-8.0/10-XXMS & SB-442-8.0/10-XXMSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	MS SPIKE	MSD SPIKE	SAMPLE CONC.	MS CONC.	MSD CONC.	MS %REC.	MSD %REC.	%RPD LIMIT	QC. LIMITS
dimethylformamide	6.0	6.5	0.00	7.6	8.0	127	122	5	50 70-130

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

WG68398-BLANK

Project: WILMINGTON

SDG No.: WIL-4

Lab File ID: BCI4126

Lab Sample ID: WG68398-1

Date Analyzed: 09/15/09

Time Analyzed: 2213

GC Column: ZB-WAX ID: 0.53 (mm)

Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

	CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	WG68398-LCS	WG68398-2	BCI4127	09/15/09	2227
02	WG68398-LCSD	WG68398-3	BCI4129	09/15/09	2256
03	OC-SB-403-0.0/1.0-X	SC5042-1	BCI4131	09/15/09	2324
04	OC-SB-403-6.0/8.0-X	SC5042-2	BCI4132	09/15/09	2339
05	OC-SB-404-5.0/7.0-X	SC5042-3	BCI4133	09/15/09	2353
06	OC-SB-409-0.0/1.0-X	SC5042-4	BCI4134	09/16/09	0007
07	OC-SB-409-6.0/8.0-X	SC5042-5	BCI4135	09/16/09	0021
08	OC-SB-411-0.0/1.0-X	SC5042-6	BCI4136	09/16/09	0035
09	OC-SB-411-4.7/6.7-X	SC5042-7	BCI4139	09/16/09	0118
10	OC-SB-410-0.0/1.0-X	SC5104-1	BCI4140	09/16/09	0132
11	OC-SB-410-6.0/8.0-D	SC5104-2	BCI4141	09/16/09	0146
12	SB-410-6.0/8.0-X	SC5104-3	BCI4142	09/16/09	0201
13	OC-SB-444-0.0/1.0-X	SC5104-4	BCI4143	09/16/09	0215
14	OC-SB-444-5.0/7.0-X	SC5104-5	BCI4144	09/16/09	0229
15	OC-SB-449-0.0/1.0-X	SC5104-6	BCI4145	09/16/09	0243
16	OC-SB-451-0.0/1.0-X	SC5104-7	BCI4146	09/16/09	0258
17	OC-SB-451-2.5/4.5-D	SC5104-8	BCI4147	09/16/09	0312
18	SB-451-2.5/4.5-X	SC5104-9	BCI4148	09/16/09	0326
19	OC-SB-442-0.0/1.0-X	SC5141-1	BCI4163	09/16/09	1137
20	OC-SB-442-8.0/10-DU	SC5141-2	BCI4164	09/16/09	1151
21	SB-442-8.0/10-XX	SC5141-3	BCI4165	09/16/09	1205
22	SB-410-6.0/8.0-XMS	WG68398-4	BCI4166	09/16/09	1219
23	SB-410-6.0/8.0-XMSD	WG68398-5	BCI4168	09/16/09	1248
24	SB-451-2.5/4.5-XMS	WG68398-6	BCI4170	09/16/09	1316
25	SB-451-2.5/4.5-XMSD	WG68398-7	BCI4172	09/16/09	1344
26	SB-442-8.0/10-XXMS	WG68398-8	BCI4174	09/16/09	1412
27	SB-442-8.0/10-XXMSD	WG68398-9	BCI4176	09/16/09	1440
28					
29					
30					

COMMENTS:

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

WG68660-BLANK

Project: WILMINGTON

SDG No.: WIL-4

Lab File ID: BCI4086

Lab Sample ID: WG68660-1

Date Analyzed: 09/15/09

Time Analyzed: 1242

GC Column: ZB-WAX ID: 0.53 (mm)

Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01 WG68660-LCS	WG68660-2	BCI4087	09/15/09	1256
02 WG68660-LCSD	WG68660-3	BCI4089	09/15/09	1324
03 OC-EBK-005	SC5104-10RA	BCI4091	09/15/09	1352
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

FORM 6
DMF INITIAL CALIBRATION DATA

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date(s): 09/15/09 09/15/09

Column: ZB-WAX ID: 0.53 (mm) Calibration Time(s): 0936 1143

LAB FILE ID: RF0.02: BCI4073 RF0.05: BCI4074 RF0.1: BCI4075
RF0.25: BCI4077 RF0.5: BCI4079 RF1: BCI4082

COMPOUND	RF0.02	RF0.05	RF0.1	RF0.25	RF0.5	RF1	CURVE	COEFFICIENTS		%RSD	MAX %RSD
								A0	A1		
dimethylformamide	921	1500	3764	12201	24415	55088	LINR	2.106e-002	1.811e-005	0.99669	0.99000
diethylformamide	13241	25644	58420	154630	276360		LINR	9.989e-002	1.448e-005	0.99576	0.99000

FORM VI DMF

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/15/09 Time: 1435

Lab File ID: BCI4094 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2084400	0.2500000	41392.000	0.01	-16.62	25.00	LINR
diethylformamide	2.4826000	2.5000000	65813.000	0.01	-0.70	25.00	LINR

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/15/09 Time: 2131

Lab File ID: BCI4123 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2403800	0.2500000	48448.000	0.01	-3.85	25.00	LINR
diethylformamide	2.4312000	2.5000000	64393.000	0.01	-2.75	25.00	LINR

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 0049

Lab File ID: BCI4137 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2405300	0.2500000	48480.000	0.01	-3.79	25.00	LINR
diethylformamide	2.5117000	2.5000000	66617.000	0.01	0.47	25.00	LINR

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 0340

Lab File ID: BCI4149 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2407500	0.2500000	48528.000	0.01	-3.70	25.00	LINR
diethylformamide	2.6390000	2.5000000	70133.000	0.01	5.56	25.00	LINR

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 1109

Lab File ID: BCI4161 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.3005000	0.2500000	61728.000	0.01	20.20	25.00	LINR
diethylformamide	3.0672000	2.5000000	81960.000	0.01	22.69	25.00	LINR

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 1508

Lab File ID: BCI4178 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.3251100	0.2500000	67164.000	0.01	30.04	25.00	LINR <-
diethylformamide	3.6491000	2.5000000	98032.000	0.01	45.96	25.00	LINR <-

FORM VII PEST

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION				S1		
	CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	RT #	RT #
01		ICAL 0.02	09/15/09	0936	2.69	
02		ICAL 0.05	09/15/09	0950	2.69	
03		ICAL 0.1	09/15/09	1004	2.69	
04		ICAL 0.25	09/15/09	1032	2.68	
05		ICAL 0.5	09/15/09	1101	2.69	
06		ICAL 1.0	09/15/09	1143		
07	WG68660-BLAN	WG68660-1	09/15/09	1242	2.69	
08	WG68660-LCS	WG68660-2	09/15/09	1256	2.68	
09	WG68660-LCSD	WG68660-3	09/15/09	1324	2.68	
10	OC-EBK-005	SC5104-10RA	09/15/09	1352	2.68	
11		CV 0.25	09/15/09	1435	2.68	
12		CV 0.25	09/15/09	2131	2.68	
13	WG68398-BLAN	WG68398-1	09/15/09	2213	2.68	
14	WG68398-LCS	WG68398-2	09/15/09	2227	2.68	
15	WG68398-LCSD	WG68398-3	09/15/09	2256	2.68	
16	OC-SB-403-0.	SC5042-1	09/15/09	2324	2.68	
17	OC-SB-403-6.	SC5042-2	09/15/09	2339	2.68	
18	OC-SB-404-5.	SC5042-3	09/15/09	2353	2.68	
19	OC-SB-409-0.	SC5042-4	09/16/09	0007	2.68	
20	OC-SB-409-6.	SC5042-5	09/16/09	0021	2.68	

QC LIMITS

S1 = diethylformamide (+/- 0.20 MINUTES)

Column used to flag retention time values with an asterisk.
* Values outside of QC limits.

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION				S1		
	CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	RT #	RT #
01	OC-SB-411-0.	SC5042-6	09/16/09	0035	2.68	
02		CV 0.25	09/16/09	0049	2.68	
03	OC-SB-411-4.	SC5042-7	09/16/09	0118	2.68	
04	OC-SB-410-0.	SC5104-1	09/16/09	0132	2.68	
05	OC-SB-410-6.	SC5104-2	09/16/09	0146	2.68	
06	SB-410-6.0/8	SC5104-3	09/16/09	0201	2.68	
07	OC-SB-444-0.	SC5104-4	09/16/09	0215	2.68	
08	OC-SB-444-5.	SC5104-5	09/16/09	0229	2.68	
09	OC-SB-449-0.	SC5104-6	09/16/09	0243	2.68	
10	OC-SB-451-0.	SC5104-7	09/16/09	0258	2.68	
11	OC-SB-451-2.	SC5104-8	09/16/09	0312	2.68	
12	SB-451-2.5/4	SC5104-9	09/16/09	0326	2.68	
13		CV 0.25	09/16/09	0340	2.68	
14		CV 0.25	09/16/09	1109	2.68	
15	OC-SB-442-0.	SC5141-1	09/16/09	1137	2.68	
16	OC-SB-442-8.	SC5141-2	09/16/09	1151	2.68	
17	SB-442-8.0/1	SC5141-3	09/16/09	1205	2.68	
18	SB-410-6.0/8	WG68398-4	09/16/09	1219	2.68	
19	SB-410-6.0/8	WG68398-5	09/16/09	1248	2.68	
20	SB-451-2.5/4	WG68398-6	09/16/09	1316	2.68	

QC LIMITS

S1 = diethylformamide (+/- 0.20 MINUTES)

Column used to flag retention time values with an asterisk.

* Values outside of QC limits.

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION				S1	RT #	RT #	
S1 : 2.68				=====	=====	=====	=====
	CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	S1	RT #	RT #
01	SB-451-2.5/4	WG68398-7	09/16/09	1344	2.68		
02	SB-442-8.0/1	WG68398-8	09/16/09	1412	2.68		
03	SB-442-8.0/1	WG68398-9	09/16/09	1440	2.68		
04		CV 0.25	09/16/09	1508	2.68		
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

QC LIMITS

S1 = diethylformamide (+/- 0.20 MINUTES)

Column used to flag retention time values with an asterisk.

* Values outside of QC limits.

Report of Analytical Results

Client: Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland, ME 04112-7050

Lab Sample ID: SC5042-1
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-403-0.0/1.0-X	SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	93. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-2
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-403-6.0/8.0-X	SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	47.9%	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-3
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-404-5.0/7.0-X

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	85. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-4
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-409-0.0/L0-X

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-5
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-409-6.0/8.0-X

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	81. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-6
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-411-0.01.0-X

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-7
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-411-4.7 6.7-X

Matrix

SL

Date Sampled

26-AUG-09

Date Received

27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	95. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-1
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-410-0.0/1.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	90. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland, ME 04112-7050

Lab Sample ID: SC5104-2
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-410-6.0/8.0-D	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	82. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-3
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-410-6.0/8.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	83.9%	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-4
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-444-0.0/1.0-X

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	95. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-5
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-444-5.0/7.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	88.0%	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-6
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-449-0.0/1.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	92.0%	+	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-7
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-451-0.0/1.0-X	SL	28-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	96. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland, ME 04112-7050

Lab Sample ID: SC5104-8
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-451-2.5/4.5-D

Matrix

SL

Date Sampled

28-AUG-09

Date Received

29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-9
Report Date: 25-SEP-09
Client PO: ERRE9844 REW10014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-451-2.5 4.5-X	SL	28-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	96.9%	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5141-1
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-442-0.01.0-X	SL	31-AUG-09	02-SEP-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5141-2
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-442-8.0/10-DU	SL	31-AUG-09	02-SEP-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	88. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland, ME 04112-7050

Lab Sample ID: SC5141-3
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-442-8.0 10-XX	SL	31-AUG-09	02-SEP-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	87. %	I	SM2540G	WG68699	16-SEP-09 08:30:00	ASTM D2216	15-SEP-09	JF	

Quality Control Report

Blank Sample Summary Report

Total Solids

<u>Samp Type</u>	<u>QC Batch</u>	<u>Anal. Method</u>	<u>Anal. Date</u>	<u>Prep. Date</u>	<u>Result</u>	<u>PQL</u>
MBLANK	WG68624	ASTM D2216	14-SEP-09	11-SEP-09	U 1 %	1 %
MBLANK	WG68699	ASTM D2216	16-SEP-09	15-SEP-09	U 1 %	1 %

Quality Control Report

Laboratory Control Sample Summary Report

Total Solids

Lab Sample Id	Samp Type	QC Batch	Analysis Date	Prep Date	Units	Spike Amt.	Result	Recovery	Acceptance Range	RPD
WG68624-2	LCS	WG68624	14-SEP-09	11-SEP-09	%	90	91	101	80-120	
WG68699-2	LCS	WG68699	16-SEP-09	15-SEP-09	%	90	90	100	80-120	

Quality Control Report

Duplicate Sample Summary Report

Total Solids

Duplicate Sample ID	Original Sample ID	QC Batch	Analysis Date	Result Units	Sample Result	Duplicate Result	RPD(%)	RPD Limit
WG68624-4	SC5104-3	WG68624	14-SEP-09	%	83.	83.	0	20

DMF DATA

QC Summary Section

FORM 2
SOIL DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES

Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

Level: (low/med) LOW

	CLIENT SAMPLE ID	LAB SAMPLE ID	SMC1 #	SMC2 #	SMC3 #	SMC4 #	TOT OUT
01	WG68398-BLANK	WG68398-1	109				0
02	WG68398-LCS	WG68398-2	132				0
03	WG68398-LCSD	WG68398-3	129				0
04	OC-SB-403-0.0/1.0-X	SC5042-1	119				0
05	OC-SB-403-6.0/8.0-X	SC5042-2	114				0
06	OC-SB-404-5.0/7.0-X	SC5042-3	113				0
07	OC-SB-409-0.0/1.0-X	SC5042-4	117				0
08	OC-SB-409-6.0/8.0-X	SC5042-5	106				0
09	OC-SB-411-0.0/1.0-X	SC5042-6	110				0
10	OC-SB-411-4.7/6.7-X	SC5042-7	118				0
11	OC-SB-410-0.0/1.0-X	SC5104-1	116				0
12	OC-SB-410-6.0/8.0-D	SC5104-2	110				0
13	SB-410-6.0/8.0-X	SC5104-3	113				0
14	OC-SB-444-0.0/1.0-X	SC5104-4	122				0
15	OC-SB-444-5.0/7.0-X	SC5104-5	120				0
16	OC-SB-449-0.0/1.0-X	SC5104-6	119				0
17	OC-SB-451-0.0/1.0-X	SC5104-7	121				0
18	OC-SB-451-2.5/4.5-D	SC5104-8	122				0
19	SB-451-2.5/4.5-X	SC5104-9	123				0
20	OC-SB-442-0.0/1.0-X	SC5141-1	136				0
21	OC-SB-442-8.0/10-DU	SC5141-2	139*				1
22	SB-442-8.0/10-XX	SC5141-3	141*				1
23	SB-410-6.0/8.0-XMS	WG68398-4	152*				1
24	SB-410-6.0/8.0-XMSD	WG68398-5	153*				1
25	SB-451-2.5/4.5-XMS	WG68398-6	174*				1
26	SB-451-2.5/4.5-XMSD	WG68398-7	172*				1
27	SB-442-8.0/10-XXMS	WG68398-8	167*				1
28	SB-442-8.0/10-XXMSD	WG68398-9	169*				1

QC LIMITS
(61-137)

SMC1 = diethylformamide

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 2
WATER DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES

Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

	CLIENT SAMPLE ID	LAB SAMPLE ID	SMC1 #	SMC2 #	SMC3 #	SMC4 #	TOT OUT
01	WG68660-BLANK	WG68660-1	90				0
02	WG68660-LCS	WG68660-2	114				0
03	WG68660-LCSD	WG68660-3	116				0
04	OC-EBK-005	SC5104-10RA	100				0
05							
06							
07							
08							
09							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							

QC LIMITS
(56-154)

SMC1 = diethylformamide

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

WG68398-BLANK

Project: WILMINGTON

SDG No.: WIL-4

Lab File ID: BCI4126

Lab Sample ID: WG68398-1

Date Analyzed: 09/15/09

Time Analyzed: 2213

GC Column: ZB-WAX ID: 0.53 (mm)

Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01 WG68398-LCS	WG68398-2	BCI4127	09/15/09	2227
02 WG68398-LCSD	WG68398-3	BCI4129	09/15/09	2256
03 OC-SB-403-0.0/1.0-X	SC5042-1	BCI4131	09/15/09	2324
04 OC-SB-403-6.0/8.0-X	SC5042-2	BCI4132	09/15/09	2339
05 OC-SB-404-5.0/7.0-X	SC5042-3	BCI4133	09/15/09	2353
06 OC-SB-409-0.0/1.0-X	SC5042-4	BCI4134	09/16/09	0007
07 OC-SB-409-6.0/8.0-X	SC5042-5	BCI4135	09/16/09	0021
08 OC-SB-411-0.0/1.0-X	SC5042-6	BCI4136	09/16/09	0035
09 OC-SB-411-4.7/6.7-X	SC5042-7	BCI4139	09/16/09	0118
10 OC-SB-410-0.0/1.0-X	SC5104-1	BCI4140	09/16/09	0132
11 OC-SB-410-6.0/8.0-D	SC5104-2	BCI4141	09/16/09	0146
12 SB-410-6.0/8.0-X	SC5104-3	BCI4142	09/16/09	0201
13 OC-SB-444-0.0/1.0-X	SC5104-4	BCI4143	09/16/09	0215
14 OC-SB-444-5.0/7.0-X	SC5104-5	BCI4144	09/16/09	0229
15 OC-SB-449-0.0/1.0-X	SC5104-6	BCI4145	09/16/09	0243
16 OC-SB-451-0.0/1.0-X	SC5104-7	BCI4146	09/16/09	0258
17 OC-SB-451-2.5/4.5-D	SC5104-8	BCI4147	09/16/09	0312
18 SB-451-2.5/4.5-X	SC5104-9	BCI4148	09/16/09	0326
19 OC-SB-442-0.0/1.0-X	SC5141-1	BCI4163	09/16/09	1137
20 OC-SB-442-8.0/10-DU	SC5141-2	BCI4164	09/16/09	1151
21 SB-442-8.0/10-XX	SC5141-3	BCI4165	09/16/09	1205
22 SB-410-6.0/8.0-XMS	WG68398-4	BCI4166	09/16/09	1219
23 SB-410-6.0/8.0-XMSD	WG68398-5	BCI4168	09/16/09	1248
24 SB-451-2.5/4.5-XMS	WG68398-6	BCI4170	09/16/09	1316
25 SB-451-2.5/4.5-XMSD	WG68398-7	BCI4172	09/16/09	1344
26 SB-442-8.0/10-XXMS	WG68398-8	BCI4174	09/16/09	1412
27 SB-442-8.0/10-XXMSD	WG68398-9	BCI4176	09/16/09	1440
28				
29				
30				

COMMENTS:

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

WG68660-BLANK

Project: WILMINGTON

SDG No.: WIL-4

Lab File ID: BCI4086

Lab Sample ID: WG68660-1

Date Analyzed: 09/15/09

Time Analyzed: 1242

GC Column: ZB-WAX ID: 0.53 (mm)

Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

	CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	WG68660-LCS	WG68660-2	BCI4087	09/15/09	1256
02	WG68660-LCSD	WG68660-3	BCI4089	09/15/09	1324
03	OC-EBK-005	SC5104-10RA	BCI4091	09/15/09	1352
04					
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

COMMENTS:

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION				S1	RT #	RT #
	CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED		
01		ICAL 0.02	09/15/09	0936	2.69	
02		ICAL 0.05	09/15/09	0950	2.69	
03		ICAL 0.1	09/15/09	1004	2.69	
04		ICAL 0.25	09/15/09	1032	2.68	
05		ICAL 0.5	09/15/09	1101	2.69	
06		ICAL 1.0	09/15/09	1143		
07	WG68660-BLAN	WG68660-1	09/15/09	1242	2.69	
08	WG68660-LCS	WG68660-2	09/15/09	1256	2.68	
09	WG68660-LCSD	WG68660-3	09/15/09	1324	2.68	
10	OC-EBK-005	SC5104-10RA	09/15/09	1352	2.68	
11		CV 0.25	09/15/09	1435	2.68	
12		CV 0.25	09/15/09	2131	2.68	
13	WG68398-BLAN	WG68398-1	09/15/09	2213	2.68	
14	WG68398-LCS	WG68398-2	09/15/09	2227	2.68	
15	WG68398-LCSD	WG68398-3	09/15/09	2256	2.68	
16	OC-SB-403-0.	SC5042-1	09/15/09	2324	2.68	
17	OC-SB-403-6.	SC5042-2	09/15/09	2339	2.68	
18	OC-SB-404-5.	SC5042-3	09/15/09	2353	2.68	
19	OC-SB-409-0.	SC5042-4	09/16/09	0007	2.68	
20	OC-SB-409-6.	SC5042-5	09/16/09	0021	2.68	

QC LIMITS

S1 = diethylformamide (+/- 0.20 MINUTES)

Column used to flag retention time values with an asterisk.

* Values outside of QC limits.

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION				S1	RT #	RT #
	CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED		
01	OC-SB-411-0.	SC5042-6	09/16/09	0035	2.68	
02		CV 0.25	09/16/09	0049	2.68	
03	OC-SB-411-4.	SC5042-7	09/16/09	0118	2.68	
04	OC-SB-410-0.	SC5104-1	09/16/09	0132	2.68	
05	OC-SB-410-6.	SC5104-2	09/16/09	0146	2.68	
06	SB-410-6.0/8	SC5104-3	09/16/09	0201	2.68	
07	OC-SB-444-0.	SC5104-4	09/16/09	0215	2.68	
08	OC-SB-444-5.	SC5104-5	09/16/09	0229	2.68	
09	OC-SB-449-0.	SC5104-6	09/16/09	0243	2.68	
10	OC-SB-451-0.	SC5104-7	09/16/09	0258	2.68	
11	OC-SB-451-2.	SC5104-8	09/16/09	0312	2.68	
12	SB-451-2.5/4	SC5104-9	09/16/09	0326	2.68	
13		CV 0.25	09/16/09	0340	2.68	
14		CV 0.25	09/16/09	1109	2.68	
15	OC-SB-442-0.	SC5141-1	09/16/09	1137	2.68	
16	OC-SB-442-8.	SC5141-2	09/16/09	1151	2.68	
17	SB-442-8.0/1	SC5141-3	09/16/09	1205	2.68	
18	SB-410-6.0/8	WG68398-4	09/16/09	1219	2.68	
19	SB-410-6.0/8	WG68398-5	09/16/09	1248	2.68	
20	SB-451-2.5/4	WG68398-6	09/16/09	1316	2.68	

QC LIMITS

S1 = diethylformamide (+/- 0.20 MINUTES)

Column used to flag retention time values with an asterisk.

* Values outside of QC limits.

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON

SDG No.: WIL-4

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS,
SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION					
S1 : 2.68					
	CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	S1 RT #
01	SB-451-2.5/4	WG68398-7	09/16/09	1344	2.68
02	SB-442-8.0/1	WG68398-8	09/16/09	1412	2.68
03	SB-442-8.0/1	WG68398-9	09/16/09	1440	2.68
04		CV 0.25	09/16/09	1508	2.68
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

QC LIMITS
S1 = diethylformamide (+/- 0.20 MINUTES)

Column used to flag retention time values with an asterisk.
* Values outside of QC limits.

Sample Data Section

KATAHDIN ANALYTICAL SERVICES - ORGANIC DATA QUALIFIERS

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

- U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.
- * Compound recovery outside of quality control limits.
- D Indicates the result was obtained from analysis of a diluted sample. Surrogate recoveries may not be calculable.
- E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.
- J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).
 - or
- J Used for Pesticide/Aroclor analyte when there is a greater than 40% difference for detected concentrations between the two GC columns.
- B Indicates the analyte was detected in the laboratory method blank analyzed concurrently with the sample.
- N Presumptive evidence of a compound based on a mass spectral library search.
- A Indicates that a tentatively identified compound is a suspected aldol-condensation product.
- P Used for Pesticide/Aroclor analyte when there is a greater than 25% difference for detected concentrations between the two GC columns. (for CLP methods only).

Katahdin Analytical Services, Inc.

Manual Integration Codes For GC/MS, GC, HPLC and/or IC

M1	Peak splitting.
M2	Well defined peaks on the shoulders of the other peaks.
M3	There is additional area due to a coeluting interferant.
M4	There are negative spikes in the baseline.
M5	There are rising or falling baselines.
M6	The software has failed to detect a peak or misidentified a peak.
M7	Excessive peak tailing.
M8	Analysis such as GRO, DRO and TPH require a baseline hold.
M9	Peak was not completely integrated as in GC/MS.
M10	Primary ion was correctly integrated, but secondary or tertiary ion needed manual integration as in GC/MS.
M11	For GC analysis, when a sample is diluted by 1:10 or more, the surrogate is set to undetected and then the area under the surrogate is manually integrated.
M12	Manual integration saved in method due to TurboChrom floating point error.

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 15-SEP-2009 23:24
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 93.4

Lab ID: SC5042-1
Client ID: OC-SB-403-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.48	1.0	0.80	0.48	0.48
	diethylformamide		119%				

Page 01 of 01 BCI4131.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4131.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4131.d
Lab Smp Id: SC5042-1 Client Smp ID: OC-SB-403-0.0/1.0-X
Inj Date : 15-SEP-2009 23:24
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, SC5042-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00180	Sample Weight
M	6.622	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS					REVIEW CODE	
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)		FINAL (mg/Kgdrwt)
\$ 2 diethylformamide	2.680	2.680	0.000	34067	0.59324	14.1 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC1C115A1.b\BC14131.d

Date : 15-SEP-2009 23:24

Client ID: OC-SB-403-0.0/1.0-X

Sample Info: DMFB038A.M,GC1C115A1.B,1,SC5042-1

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC1C115A1.b\BC14131.R.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 15-SEP-2009 23:39
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 46.6

Lab ID: SC5042-2
Client ID: OC-SB-403-6.0/8.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	1.4	1.0	0.80	1.4	1.4
	diethylformamide		114%				

Page 01 of 01 BCI4132.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4132.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4132.d
Lab Smp Id: SC5042-2 Client Smp ID: OC-SB-403-6.0/8.0-X
Inj Date : 15-SEP-2009 23:39
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5042-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00123	Sample Weight
M	53.341	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	32527	0.57094	39.8 (M)	M5

*JLP
09/2009*

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\\GG\\chem\\gc11.i\\GC11C115A1.b\\BC14132.d
Date : 15-SEP-2009 23:39

Client ID: 0C-SB-403-6.0/8.0-X
Sample Info: DnFB038A.M\\GC11C115A1.B,1,SC5042-2


Purge Volume: 0.0
Column phase: ZB-MAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\\GG\\chem\\gc11.i\\GC11C115A1.b\\BC14132.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 15-SEP-2009 23:53
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 85.0

Lab ID: SC5042-3
Client ID: OC-SB-404-5.0/7.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.62	1.0	0.80	0.62	0.62
	diethylformamide		113%				

Page 01 of 01 BCI4133.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4133.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4133.d
Lab Smp Id: SC5042-3 Client Smp ID: OC-SB-404-5.0/7.0-X
Inj Date : 15-SEP-2009 23:53
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, SC5042-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * (100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00151	Sample Weight
M	14.988	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	32200	0.56620	17.6 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14133.d

Date : 15-SEP-2009 23:53

Client ID: DC-SB-404-5.0\7*0-X

Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5042-3

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14133.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 00:07
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 94.6

Lab ID: SC5042-4
Client ID: OC-SB-409-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.70	1.0	0.80	0.70	0.70
	diethylformamide		117%				

Page 01 of 01 BCI4134.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4134.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4134.d
Lab Smp Id: SC5042-4 Client Smp ID: OC-SB-409-0.0/1.0-X
Inj Date : 16-SEP-2009 00:07
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5042-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00120	Sample Weight
M	5.424	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	=====
\$ 2 diethylformamide	2.680	2.680	0.000	33382	0.58332	20.6 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14134.d

Date : 16-SEP-2009 00:07

Client ID: 0C-SB-409-0.0\1.0-X

Sample Info: DrFB038A.M,GC11C115A1.B,1,SE5042-4

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14134.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 00:21
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 81.2

Lab ID: SC5042-5
Client ID: OC-SB-409-6.0/8.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.48	1.0	0.80	0.48	0.48
	diethylformamide		106%				

Page 01 of 01 BCI4135.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4135.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4135.d
Lab Smp Id: SC5042-5 Client Smp ID: OC-SB-409-6.0/8.0-X
Inj Date : 16-SEP-2009 00:21
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5042-5
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00203	Sample Weight
M	18.760	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	=====
\$ 2 diethylformamide	2.680	2.680	0.000	29883	0.53265	12.9	

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14135.d

Date : 16-SEP-2009 00:21

Client ID: DC-SB-409-6,0/8,0-X

Sample Info: DHFB038A.M,GC11C115A1.B,1,SC5042-5

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14135.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 00:35
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 93.7

Lab ID: SC5042-6
Client ID: OC-SB-411-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.62	1.0	0.80	0.62	0.62
	diethylformamide		110%				

Page 01 of 01 BCI4136.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4136.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4136.d
Lab Smp Id: SC5042-6 Client Smp ID: OC-SB-411-0.0/1.0-X
Inj Date : 16-SEP-2009 00:35
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5042-6
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable


Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00138	Sample Weight
M	6.299	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	FINAL	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	31213	0.55191	17.1	=====

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14136.d
Date : 16-SEP-2009 00:35
Client ID: OC-SB-411-0.0/1.0-X
Sample Info: DMFB38A.M,GC11C115A1.B,1,SC5042-6
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14136.R.R11



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/26/09
Received Date: 08/27/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 01:18
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 94.9

Lab ID: SC5042-7
Client ID: OC-SB-411-4.7/6.7-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.59	1.0	0.80	0.59	0.59
	diethylformamide		118%				

Page 01 of 01 BCI4139.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4139.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4139.d
Lab Smp Id: SC5042-7 Client Smp ID: OC-SB-411-4.7/6.7-X
Inj Date : 16-SEP-2009 01:18
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5042-7
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00143	Sample Weight
M	5.097	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	33981	0.59200	17.4 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14139.d

Date : 16-SEP-2009 01:18

Client ID: OC-SB-411-4-7/6+7-X


Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5042-7

Purge Volume: 0.0

Column phase: ZB-WAX

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14139.R.RAW

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 01:32
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 89.8

Lab ID: SC5104-1
Client ID: OC-SB-410-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.60	1.0	0.80	0.60	0.60
	diethylformamide		116%				

Page 01 of 01 BCI4140.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4140.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4140.d
Lab Smp Id: SC5104-1 Client Smp ID: OC-SB-410-0.0/1.0-X
Inj Date : 16-SEP-2009 01:32
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00149	Sample Weight
M	10.170	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	33246	0.58135	17.4 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BCI4140.d
Date : 16-SEP-2009 01:32

Client ID: DC-SB-410-0.041.0-X


Sample Info: DMFB038A.M,GC11C115A1.B,1,SCS104-1

Purge Volume: 0.0

Column phase: ZB-WAX

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BCI4140.RAW

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 01:46
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 81.9

Lab ID: SC5104-2
Client ID: OC-SB-410-6.0/8.0-D
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.74	1.0	0.80	0.74	0.74
	diethylformamide		110%				

Page 01 of 01 BCI4141.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4141.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4141.d
Lab Smp Id: SC5104-2 Client Smp ID: OC-SB-410-6.0/8.0-D
Inj Date : 16-SEP-2009 01:46
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00132	Sample Weight
M	18.077	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	30962	0.54828	20.3	=====

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14141.d

Date : 16-SEP-2009 01:46

Client ID: 0C-SB-410-6,0/8,0-D

Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-2

Purge Volume: 0.0


Column phase: ZB-HAK

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14141.d\BC14141.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:01
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 83.3

Lab ID: SC5104-3
Client ID: SB-410-6.0/8.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.57	1.0	0.80	0.57	0.57
	diethylformamide		113%				

Page 01 of 01 BCI4142.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4142.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4142.d
Lab Smp Id: SC5104-3 Client Smp ID: SB-410-6.0/8.0-X
Inj Date : 16-SEP-2009 02:01
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00168	Sample Weight
M	16.678	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	32146	0.56542	16.2	=====

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14142.d

Date : 16-SEP-2009 02:01

Client ID: SP-410-6.0/V.0-X

Sample Info: DMFBc38A.M,GC11C115A1.B,1,SC5104-3

Purge Volume: 0.0

Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14142.RAW

Y ($\times 10^4$)

-diethylformamide (2,680)

7.0
6.9
6.8
6.7
6.6
6.5
6.4
6.3
6.2
6.1
6.0
5.9
5.8
5.7
5.6
5.5
5.4
5.3
5.2
5.1
5.0
4.9
4.8
4.7
4.6
4.5
4.4
4.3
4.2
4.1
4.0
3.9
3.8
3.7
3.6
3.5
3.4
3.3
3.2
3.1
3.0
2.9
2.8
2.7
2.6
2.5
2.4
2.3
2.2
2.1
2.0
1.9
1.8
1.7
1.6
1.5
1.4
1.3
1.2
1.1
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Min

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:15
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 95.4

Lab ID: SC5104-4
Client ID: OC-SB-444-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.66	1.0	0.80	0.66	0.66
	diethylformamide		122%				

Page 01 of 01 BCI4143.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4143.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4143.d
Lab Smp Id: SC5104-4 Client Smp ID: OC-SB-444-0.0/1.0-X
Inj Date : 16-SEP-2009 02:15
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00128	Sample Weight
M	4.593	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	ON-COLUMN			FINAL			
	(mg/L)	(mg/Kgdrwt)					
\$ 2 diethylformamide	RT	EXP RT	DLT RT	RESPONSE	=====	=====	=====
	2.680	2.680	0.000	35148	0.60890	19.9 (M)	M5

JLP 09/21/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14143.d

Date : 16-SEP-2009 02:15

Client ID: DC-SB-444-0.0/1.0-X

Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-4

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14143.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:29
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 87.6

Lab ID: SC5104-5
Client ID: OC-SB-444-5.0/7.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.65	1.0	0.80	0.65	0.65
	diethylformamide		120%				

Page 01 of 01 BCI4144.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4144.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4144.d
Lab Smp Id: SC5104-5 Client Smp ID: OC-SB-444-5.0/7.0-X
Inj Date : 16-SEP-2009 02:29
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-5
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * (100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00141	Sample Weight
M	12.437	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	34735	0.60292	19.5 (M)	MS

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_Server\GC\chem\gc11.i\GC11C115A1.b\BC14144.d
Date : 16-SEP-2009 02:29

Client ID: OC-SB-444-5,0/7,0-X
Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-5
Purge Volume: 0.0


Column phase: ZB-MAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_Server\GC\chem\gc11.i\GC11C115A1.b\BC14144.d\BC14144.Rawl



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:43
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 92.4

Lab ID: SC5104-6
Client ID: OC-SB-449-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.68	1.0	0.80	0.68	0.68
	diethylformamide		119%				

Page 01 of 01 BCI4145.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4145.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4145.d
Lab Smp Id: SC5104-6 Client Smp ID: OC-SB-449-0.0/1.0-X
Inj Date : 16-SEP-2009 02:43
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-6
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00127	Sample Weight
M	7.628	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	34196	0.59511	20.3 (M)	M5

JLP 09/21/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14145.d

Date : 16-SEP-2009 02:43

Client ID: DC-SB-449-0.0/1.0-X

Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-6

Purge Volume: 0.0


Column phases: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14145.d\BC14145.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 02:58
Report Date: 09/23/2009
Matrix: SOIL
% Solids: 96.4

Lab ID: SC5104-7
Client ID: OC-SB-451-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.70	1.0	0.80	0.70	0.70
	diethylformamide		121%				

Page 01 of 01 BCI4146.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4146.d
Report Date: 23-Sep-2009 14:32

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4146.d
Lab Smp Id: SC5104-7 Client Smp ID: OC-SB-451-0.0/1.0-X
Inj Date : 16-SEP-2009 02:58
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-7
Misc Info : SW846 8033M
Comment :
Method : \\\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00119	Sample Weight
M	3.600	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	=====
\$ 2 diethylformamide	2.680	2.680	0.000	35018	0.60701	21.2 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14146.d

Date : 16-SEP-2009 02:58

Client ID: 00-SB-451-0.0'1.0-X

Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-7

Purge Volume: 0.0


Column phase: ZB-Wax

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14146.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 03:12
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 94.4

Lab ID: SC5104-8
Client ID: OC-SB-451-2.5/4.5-D
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.64	1.0	0.80	0.64	0.64
	diethylformamide		122%				

Page 01 of 01 BCI4147.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4147.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4147.d
Lab Smp Id: SC5104-8 Client Smp ID: OC-SB-451-2.5/4.5-D
Inj Date : 16-SEP-2009 03:12
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-8
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00133	Sample Weight
M	5.583	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	=====
\$ 2 diethylformamide	2.680	2.680	0.000	35204	0.60971	19.4 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

JLP
09/21/09

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14147.d

Date : 16-SEP-2009 03:12

Client ID: OC-SP-451-2,5/4,5-D


Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-8

Purge Volume: 0.0

Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14147.d\BC14147.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 03:26
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 95.7

Lab ID: SC5104-9
Client ID: SB-451-2.5/4.5-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.45	1.0	0.80	0.45	0.45
	diethylformamide		123%				

Page 01 of 01 BCI4148.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4148.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4148.d
Lab Smp Id: SC5104-9 Client Smp ID: SB-451-2.5/4.5-X
Inj Date : 16-SEP-2009 03:26
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, SC5104-9
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00187	Sample Weight
M	4.330	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
\$ 2 diethylformamide	2.680	2.680	0.000	35498	0.61397	13.7 (M)	MS

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14148.d
Date : 16-SEP-2009 03:26

Client ID: SB-451-2,5/4,5-X
Sample Info: DMFB038A.M,GC11C115A1.B,1,SC5104-9
Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14148.d\BC14148.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date:
Analysis Date: 15-SEP-2009 13:52
Report Date: 09/21/2009
Matrix: WATER
% Solids: NA

Lab ID: SC5104-10RA
Client ID: OC-EBK-005
SDG: WIL-4
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.020	1.0	0.020	0.020	0.0048
	diethylformamide		100%				

Page 01 of 01 BCI4091.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4091.d
Report Date: 21-Sep-2009 11:04

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4091.d
Lab Smp Id: SC5104-10RA Client Smp ID: OC-EBK-005
Inj Date : 15-SEP-2009 13:52
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5104-10RA
Misc Info : SW846 M8033
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/L)	
	=====	=====	=====	=====	=====	=====	=====
\$ 2 diethylformamide	2.680	2.680	0.000	27614	0.49979	0.500 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

JLP
09/09

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BCI4091.d
Date : 15-SEP-2009 13:52

Client ID: OC-EBK-005


Sample Info: DMFB0304.M,GC11C115A1.B,1,SC5104-10RA

Purge Volume: 0.0

Column phase: ZB-WAX

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BCI4091.d.RAW

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 11:37
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 87.3

Lab ID: SC5141-1
Client ID: OC-SB-442-0.0/1.0-X
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.50	1.0	0.80	0.50	0.50
	diethylformamide		136%				

Page 01 of 01 BCI4163.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4163.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4163.d
Lab Smp Id: SC5141-1 Client Smp ID: OC-SB-442-0.0/1.0-X
Inj Date : 16-SEP-2009 11:37
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI16A1.B,1,SC5141-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00182	Sample Weight
M	12.700	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	=====	=====	=====	=====	=====	=====	
\$ 2 diethylformamide	2.680	2.680	0.000	39892	0.67760	17.0	=====

Data File: \\Target_server\GC\chem\gc11.i\GC11C116A1.b\BC14163.d

Date : 16-SEP-2009 11:37

Client ID: DC-SB-442-0.01.0-X

Sample Info: DMFB038A.M,GC11C116A1.B.I,SC5141-1

Purge Volume: 0.0


Column phase: ZB-Max

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C116A1.b\BC14163.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 11:51
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 93.6

Lab ID: SC5141-2
Client ID: OC-SB-442-8.0/10-DU
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.47	1.0	0.80	0.47	0.47
	diethylformamide		*139%				

Page 01 of 01 BCI4164.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4164.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4164.d
Lab Smp Id: SC5141-2 Client Smp ID: OC-SB-442-8.0/10-DU
Inj Date : 16-SEP-2009 11:51
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI16A1.B,1,SC5141-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00182	Sample Weight
M	6.341	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN	FINAL	
					(mg/L)	(mg/Kgdrwt)	
\$ 2 diethylformamide	2.680	2.680	0.000	41107	0.69519	16.3 (RM)	M5

QC Flag Legend

R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14164.d
Date : 16-SEP-2009 11:51

Client ID: DC-SB-442-8.0\10-MU

Sample Info: DMFB038A.M,GC11C116A1.B,1,SC5141-2

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14164.d\BC14164.RAW



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 16-SEP-2009 12:05
Report Date: 09/21/2009
Matrix: SOIL
% Solids: 87.8

Lab ID: SC5141-3
Client ID: SB-442-8.0/10-XX
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.58	1.0	0.80	0.58	0.58
	diethylformamide		*141%				

Page 01 of 01 BCI4165.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4165.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4165.d
Lab Smp Id: SC5141-3 Client Smp ID: SB-442-8.0/10-XX
Inj Date : 16-SEP-2009 12:05
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI16A1.B,1,SC5141-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00158	Sample Weight
M	12.242	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN	FINAL	
					(mg/L)	(mg/Kgdrwt)	
\$ 2 diethylformamide	2.680	2.680	0.000	41682	0.70352	20.3 (R)	

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

Data File: \\Target_server\GC\chem\gc11.i\GC11C116A1.b\BC14165.d
Date : 16-SEP-2009 12:05

Client ID: SB-442-8.v10-XX

Sample Info: DMFB038A.M,GC11C116A1.B,1,SC5141-3

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C116A1.b\BC14165.RAW



Standards Data Section

FORM 6
DMF INITIAL CALIBRATION DATA

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project WILMINGTON

SDG No.: WIL-4

Instrument ID: GC11

Calibration Date(s): 09/15/09 09/15/09

Column: ZB-WAX ID: 0.53 (mm) Calibration Time(s): 0936 1143

LAB FILE ID: RF0.02: BCI4073 RF0.05: BCI4074 RF0.1: BCI4075
RF0.25: BCI4077 RF0.5: BCI4079 RF1: BCI4082

COMPOUND	RF0.02	RF0.05	RF0.1	RF0.25	RF0.5	RF1	CURVE	COEFFICIENTS		%RSD	MAX %RSD
								A0	A1		
dimethylformamide	921	1500	3764	12201	24415	55088	LINR	2.106e-002	1.811e-005	0.99669	0.99000
diethylformamide	13241	25644	58420	154630	276360		LINR	9.989e-002	1.448e-005	0.99576	0.99000

FORM VI DMF

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4073.d
Report Date: 16-Sep-2009 12:27

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4073.d
Lab Smp Id: ICAL 0.02
Inj Date : 15-SEP-2009 09:36
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, ICAL 0.02
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:36 Cal File: BCI4073.RAW
Als bottle: 1 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable


Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
	(mg/L)	(mg/L)					
1 dimethylformamide	1.973	1.960	0.013	921	0.02000	0.0377 (M)	M5
\$ 2 diethylformamide	2.693	2.680	0.013	13241	0.25000	0.292 (M)	JW 09/16/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14073.d
Date : 15-SEP-2009 09:36
Client ID:
Sample Info: DMFB03A.M,GC11C115A1.B,1,ICAL 0.02
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53
\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14073.d\BC14073.Rawl



Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4074.d
Report Date: 16-Sep-2009 12:27

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4074.d
Lab Smp Id: ICAL 0.05
Inj Date : 15-SEP-2009 09:50
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, ICAL 0.05
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable


Compounds	AMOUNTS							REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL		
	=====	=====	=====	=====	=====	=====		
1 dimethylformamide	1.973	1.960	0.013	1500	0.05000	0.0482 (M)	MS	<i>JLP 09/09/09</i>
\$ 2 diethylformamide	2.693	2.680	0.013	25644	0.50000	0.471 (M)		

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\\GG\\chem\\gc11.i\\GC11C115A1.b\\BC14074.d
Date : 15-SEP-2009 09:50
Client ID:
Sample Info: DMF-B038A.M,GC11C115A1.B,1,ICAL 0.05
Purge Volume: 0.0
Column phase: ZB-MAX

Instrument: gc11.i
\\Target_server\\GG\\chem\\gc11.i\\GC11C115A1.b\\BC14074.d\\BC14074.d
Operator: JLP
Column diameter: 0.53



Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4075.d
Report Date: 16-Sep-2009 12:27

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4075.d
Lab Smp Id: ICAL 0.1
Inj Date : 15-SEP-2009 10:04
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.1
Misc Info :
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 10:04 Cal File: BCI4075.d
Als bottle: 1 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable


Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
=====	=====	=====	=====	=====	=====	=====	
1 dimethylformamide	1.973	1.960	0.013	3764	0.10000	0.102(M)	M5
\$ 2 diethylformamide	2.693	2.680	0.013	58420	1.00000	1.02(M)	JLP 09/16/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\\GG\\chem\\gc11.i\\GC11C15A1.b\\BCI4075.d
Date : 15-SEP-2009 10:04
Client ID:
Sample Info: DMFB038A.M,GC11C15A1.B,1,ICQL 0.1
Purge Volume: 0.0
Column phase: ZB-MAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53
\\Target_server\\GG\\chem\\gc11.i\\GC11C15A1.b\\BCI4075.d\\BCI4075.RAI



Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4077.d
Report Date: 16-Sep-2009 12:27

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4077.d
Lab Smp Id: ICAL 0.25
Inj Date : 15-SEP-2009 10:32
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.25
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 10:32 Cal File: BCI4077.d
Als bottle: 1 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
	(mg/L)	(mg/L)					
1 dimethylformamide	1.960	1.960	0.000	12201	0.25000	0.255 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	154631	2.50000	2.34 (M)	JLP 09/16/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_Server\GC\chem\gc11.i\GC11C115A1.b\BC14077.d

Date : 15-SEP-2009 10:32

Client ID:


Sample Info: DMFB038A.M,GC14C15A1.B,1,ICAL 0.25

Purge Volume: 0.0

Column phases: ZB-WAX

\\Target server\%System%\System32\RPCIA073 RPCIA073 RAI

Column diameter: 0.53



Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4079.d
Lab Smp Id: ICAL 0.5
Inj Date : 15-SEP-2009 11:01
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, ICAL 0.5
Misc Info :
Comment :
Method : \\\TARGET SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:01 Cal File: BCI4079.d
Als bottle: 1 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo)*1000 * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	Final Volume (L)
Vo	0.00100	Sample Volume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS							REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL		
					(mg/L)	(mg/L)		
1 dimethylformamide	1.960	1.960	0.000	24415	0.50000	0.500 (M)		MS
\$ 2 diethylformamide	2.693	2.680	0.013	276361	4.00000	4.10 (AM)		JLP 09/16/09

QC Flag Legend

- A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14079.d\BC14079.RAW
Injection Date: 15-SEP-2009 11:01
Instrument: gc11.i
Client Sample ID:

PE TurboChrom BC14079.RAW: 1.587 to 9.998 Min



Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4082.d
Lab Smp Id: ICAL 1.0
Inj Date : 15-SEP-2009 11:43
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 1.0
Misc Info :
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable


Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT (mg/L)	ON-COL (mg/L)	
	=====	=====	=====	=====	=====	=====	=====
1 dimethylformamide	1.960	1.960	0.000	55088	1.00000	1.02 (AM)	MS

QC Flag Legend

- A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.
- JLP
9/16/09*

Data File: \\Target_server\\GG\\chem\\gc11.i\\GC11C115A1.b\\BC14082.d
Date : 15-SEP-2009 11:43
Client ID:
Sample Info: DMFB038A.M,GC11C115A1.B,1,ICAL 1.0
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53
\\Target_server\\GG\\chem\\gc11.i\\GC11C115A1.b\\BC14082.d\\BC14082.RAW



FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/15/09 Time: 1435

Lab File ID: BCI4094 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2084400	0.2500000	41392.000	0.01	-16.62	25.00	LINR
diethylformamide	2.4826000	2.5000000	65813.000	0.01	-0.70	25.00	LINR

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4094.d
Report Date: 21-Sep-2009 11:04

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4094.d
Lab Smp Id: CV 0.25
Inj Date : 15-SEP-2009 14:35
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,CV 0.25
Misc Info : CV
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT (mg/L)	ON-COL (mg/L)	
	=====	=====	=====	=====	=====	=====	
1 dimethylformamide	1.960	1.960	0.000	10348	0.25000	0.208 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	164533	2.50000	2.48 (M)	<i>JLP 09/2009</i>

QC Flag Legend

M - Compound response manually integrated.

Date : 15-SEP-2009 14:35

Client ID:

Sample Info: DHFB03BA.M,GC11C115A1.B,1,CW 0.25

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\\GC\\chem\\gc11.i\\GC11C115A1.b\\BCI4094.d\\BCI4094.RAW



FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/15/09 Time: 2131

Lab File ID: BCI4123 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	RRF0.2500 or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2403800	0.2500000	48448.000	0.01	-3.85	25.00	LINR
diethylformamide	2.4312000	2.5000000	64393.000	0.01	-2.75	25.00	LINR

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4123.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4123.d
Lab Smp Id: CV 0.25
Inj Date : 15-SEP-2009 21:31
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, CV 0.25
Misc Info : CV
Comment :
Method : \\\TARGET SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
	(mg/L)	(mg/L)					
1 dimethylformamide	1.960	1.960	0.000	12112	0.25000	0.240 (M)	
\$ 2 diethylformamide	2.680	2.680	0.000	160983	2.50000	2.43 (M)	M5

QC Flag Legend

M - Compound response manually integrated.


Data File: \\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14123.d
Date : 15-SEP-2009 21:31

Client ID:
Sample Info: DMFB038A.M,GC11C115A1.B,1,CV 0.25
Purge Volume: 0.0

Column phase: ZB-MAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14123.R\Raw



FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 0049

Lab File ID: BCI4137 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	or AMOUNT	RRF0.2500 CCAL	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2405300	0.2500000	48480.000	0.01	-3.79	25.00	LINR
diethylformamide	2.5117000	2.5000000	66617.000	0.01	0.47	25.00	LINR

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4137.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4137.d
Lab Smp Id: CV 0.25
Inj Date : 16-SEP-2009 00:49
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, CV 0.25
Misc Info : CV
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
	(mg/L)	(mg/L)					
1 dimethylformamide	1.960	1.960	0.000	12120	0.25000	0.240 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	166542	2.50000	2.51 (M)	

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14137.d
Date : 16-SEP-2009 00:49


Client ID:
Sample Info: DMFB038A.M,GC11C115A1.B,1,CV 0.25
Purge Volume: 0.0

Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP
Column diameter: 0.453

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14137.d\BC14137.RAW



FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 0340

Lab File ID: BCI4149 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.2407500	0.2500000	48528.000	0.01	-3.70	25.00	LINR
diethylformamide	2.6390000	2.5000000	70133.000	0.01	5.56	25.00	LINR

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4149.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4149.d
Lab Smp Id: CV 0.25
Inj Date : 16-SEP-2009 03:40
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, CV 0.25
Misc Info : CV
Comment :
Method : \\\TARGET SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
	(mg/L)	(mg/L)					
1 dimethylformamide	1.960	1.960	0.000	12132	0.25000	0.241 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	175333	2.50000	2.64 (M)	

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14149.d

Date : 16-SEP-2009 03:40

Client ID:

Sample Info: DMFB038A.M,GC11C115A1.B,1,CF 0.25

Purge Volume: 0.0


Column phase: ZB-MAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14149.RAW



FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 1109

Lab File ID: BCI4161 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	or AMOUNT	CCAL RRF0.2500	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.3005000	0.2500000	61728.000	0.01	20.20	25.00	LINR
diethylformamide	3.0672000	2.5000000	81960.000	0.01	22.69	25.00	LINR

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4161.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4161.d
Lab Smp Id: CV 0.25
Inj Date : 16-SEP-2009 11:09
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI16A1.B, 1, CV 0.25
Misc Info : CV
Comment :
Method : \\\TARGET SERVER\GG\chem\gc11.i\GC11CI16A1.B\DMFB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	CAL-AMT (mg/L)	ON-COL (mg/L)		
	=====	=====	=====	=====	=====		
1 dimethylformamide	1.960	1.960	0.000	15432	0.25000	0.300 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	204900	2.50000	3.07 (M)	

QC Flag Legend

M - Compound response manually integrated.

Client ID:

Sample Info: DHFB0308.M,GC11C116A1.B,1,CV 0.25

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C116A1.b\BCI4161.RAW



FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-4

Instrument ID: GC11 Calibration Date: 09/16/09 Time: 1508

Lab File ID: BCI4178 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

COMPOUND	RRF or AMOUNT	or AMOUNT	RRF0.2500	CCAL	MIN RRF	%D or %DRIFT	MAX %D or %DRIFT	CURV TYPE
dimethylformamide	0.3251100	0.2500000	67164.000	0.01	30.04	25.00	LINR	<-
diethylformamide	3.6491000	2.5000000	98032.000	0.01	45.96	25.00	LINR	<-

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4178.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4178.d
Lab Smp Id: CV 0.25
Inj Date : 16-SEP-2009 15:08
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI16A1.B, 1, CV 0.25
Misc Info : CV
Comment :
Method : \\\TARGET SERVER\GG\chem\gc11.i\GC11CI16A1.B\DMFB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	AMOUNTS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	CAL-AMT	ON-COL	
	(mg/L)	(mg/L)					
1 dimethylformamide	1.960	1.960	0.000	16791	0.25000	0.325 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	245080	2.50000	3.65 (M)	

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\\GC\\chem\\gc11.i\\GC11C116A1.b\\BCI4178.d
Date : 16-SEP-2009 15:08

Client ID:

Sample Info: DHFB03BA.M,GC11C116A1.B,1,CW 0.25
Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\\GC\\chem\\gc11.i\\GC11C116A1.b\\BCI4178.d\\BCI4178.RAW



Raw QC Data Section

KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Lab ID: WG68660-1
Project: Wilmington Client ID: WG68660-Blank
PO No: SDG: WIL-4
Sample Date: Extracted by:
Received Date: Extraction Method: 8033M
Extraction Date: Analyst: JLP
Analysis Date: 15-SEP-2009 12:42 Analysis Method: SW846 M8033
Report Date: 09/21/2009 Lab Prep Batch: WG68660
Matrix: WATER Units: mg/L
% Solids: NA

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.020	1.0	0.020	0.020	0.0048
	diethylformamide		90%				

Page 01 of 01 BCI4086.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4086.d
Report Date: 21-Sep-2009 11:04

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4086.d
Lab Smp Id: WG68660-1 Client Smp ID: WG68660-Blank
Inj Date : 15-SEP-2009 12:42
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68660-1
Misc Info : SW846 M8033
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/L)	
	=====	=====	=====	=====	=====	=====	=====
\$ 2 diethylformamide	2.693	2.680	0.013	24048	0.44815	0.448 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BCI4086.d
Date : 15-SEP-2009 12:42


Client ID: Wf68660-Blank
Sample Info: DMFB038A.M,GC11C115A1.B,1,WG68660-1
Purge Volume: 0.0

Column phase: ZB-WAX

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BCI4086.d\BCI4086.RAH

Instrument: gc11.i
Operator: JLP

Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
Report of Analytical Results

Client: Lab ID: WG68398-1
Project: Wilmington Client ID: WG68398-Blank
PO No: SDG: WIL-4
Sample Date: Extracted by: JLP
Received Date: Extraction Method: 8033M
Extraction Date: 09/08/09 Analyst: JLP
Analysis Date: 15-SEP-2009 22:13 Analysis Method: SW846 8033M
Report Date: 09/21/2009 Lab Prep Batch: WG68398
Matrix: SOIL Units: mg/Kgdrwt
% Solids: 100

CAS#	Compound	Flags	Results	DF	PQL	Adj.PQL	Adj.MDL
	dimethylformamide	U	0.80	1.0	0.80	0.80	0.80
	diethylformamide		109%				

Page 01 of 01 BCI4126.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4126.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4126.d
Lab Smp Id: WG68398-1 Client Smp ID: WG68398-Blank
Inj Date : 15-SEP-2009 22:13
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68398-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00100	Sample Weight
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	FINAL (mg/Kgdrwt)	
\$ 2 diethylformamide	2.680	2.680	0.000	30852	0.54668	21.9 (M)	M5

QC Flag Legend

M - Compound response manually integrated.

JP
09/2009

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14126.d

Date : 15-SEP-2009 22:13

Client ID: W668398-Blank

Sample Info.: DMFB0389.M,GC11C115A1.B,1,W668398-1

Purge Volume: 0.0


Column Phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BC14126.d\BC14126.RAW



**KATAHDIN ANALYTICAL SERVICES
LAB CONTROL SAMPLE**

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 09/15/09
Report Date: 09/21/2009
Matrix: WATER

Lab ID: WG68660-2 & WG68660-3
Client ID: WG68660-LCS & WG68660-LCSD
SDG: WIL-4
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

COMPOUND	LCS	LCSD	SAMPLE	LCS	LCSD	LCS	LCSD	%RPD	QC.	
	SPIKE	SPIKE	CONC.	CONC.	CONC.	%REC.	%REC.	%RPD	LIMIT	LIMITS
dimethylformamide	0.10	0.10	NA	0.08	0.08	78	85	9	30	70-130

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4087.d
Report Date: 21-Sep-2009 11:04

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4087.d
Lab Smp Id: WG68660-2 Client Smp ID: WG68660-LCS
Inj Date : 15-SEP-2009 12:56
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68660-2
Misc Info : SW846 M8033
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	FINAL	
	=====	=====	=====	=====	=====	=====	=====
1 dimethylformamide	1.960	1.960	0.000	3152	0.07814	0.0781(M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	32476	0.57020	0.570 (M)	JLP 09/21/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\\GC\\chem\\gc11.i\\GC11C115A1.b\\BCI4087.d
Date : 15-SEP-2009 12:56

Client ID: WG686660-LCS

Sample Info: DHFB03BA.M,GC11C115A1.B,1,WG686660-2

Purge Volume: 0.0


Column Phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\\GC\\chem\\gc11.i\\GC11C115A1.b\\BCI4087.d\\BCI4087.RAW



Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4089.d
Report Date: 21-Sep-2009 11:04

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4089.d
Lab Smp Id: WG68660-3 Client Smp ID: WG68660-LCSD
Inj Date : 15-SEP-2009 13:24
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, WG68660-3
Misc Info : SW846 M8033
Comment :
Method : \\\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.00100	FinalVolume (L)
Vo	0.00100	SampleVolume (L)
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE	
	ON-COLUMN			FINAL				
	(mg/L)	(mg/L)						
1 dimethylformamide	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	(mg/L)		
1 dimethylformamide	1.960	1.960	0.000	3542	0.08520	0.0852(M)	M5	
\$ 2 diethylformamide	2.680	2.680	0.000	33320	0.58242	0.582(M)	JLP 09/2009	

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C115A1.b\BCI4089.d

Date : 15-SEP-2009 13:24

Client ID: WGC88660-LCSD

Purge Volume: 0.0


Column phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C115A1.b\BCI4089.d\BCI4089.RAW



KATAHDIN ANALYTICAL SERVICES
LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/08/09
Analysis Date: 09/15/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-2 & WG68398-3
Client ID: WG68398-LCS & WG68398-LCSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	LCS	LCSD	SAMPLE	LCS	LCSD	LCS	LCSD	%RPD	QC.	
	SPIKE	SPIKE	CONC.	CONC.	CONC.	%REC.	%REC.	%RPD	LIMIT	LIMITS
dimethylformamide	10	10	NA	9.4	8.6	94	86	9	50	70-130

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4127.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4127.d
Lab Smp Id: WG68398-2 Client Smp ID: WG68398-LCS
Inj Date : 15-SEP-2009 22:27
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68398-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00100	Sample Weight
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
1 dimethylformamide	1.960	1.960	0.000	11762	0.23405	9.36 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	15897	0.33011	13.2 (M)	JL 09/2009

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14127.d
Date : 15-SEP-2009 22:27


Client ID: MG68398-LCS
Sample Info: DMFB0398.M,GC11C115A1.B,1,MG68398-2

Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP

Column diameter: 0.53

\\Target_server\GG\chem\gc11.i\GC11C115A1.b\BC14127.d\BC14127.RAW



Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4129.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4129.d
Lab Smp Id: WG68398-3 Client Smp ID: WG68398-LCSD
Inj Date : 15-SEP-2009 22:56
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI15A1.B, 1, WG68398-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 16-Sep-2009 07:25 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00100	Sample Weight
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
1 dimethylformamide	1.960	1.960	0.000	10649	0.21389	8.56 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	15348	0.32216	12.9 (M)	JLP 09/21/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\\GC\\chem\\gc11.i\\GC11C115A1.b\\BCI4129.d

Date : 15-SEP-2009 22:56

Client ID: WG68398-LCSI

Purge Volume: 0.0


Column phase: ZB-WAX

\\Target_server\\GC\\chem\\gc11.i\\GC11C115A1.b\\BCI4129.d\\BCI4129.RAW

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/27/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 09/16/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-4 & WG68398-5
Client ID: SB-410-6.0/8.0-XMS & SB-410-6.0/8.0-XMSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	MS SPIKE	MSD SPIKE	SAMPLE CONC.	MS CONC.	MSD CONC.	MS %REC.	MSD %REC.	%RPD %RPD	QC. LIMIT	QC. LIMITS
dimethylformamide	8.7	10	0.00	9.2	11	106	110	17	50	70-130

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4166.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4166.d
Lab Smp Id: WG68398-4 Client Smp ID: SB-410-6.0/8.0-XMS
Inj Date : 16-SEP-2009 12:19
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI16A1.B,1,WG68398-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: MS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00138	Sample Weight
M	16.678	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN	FINAL	
					(mg/L)	(mg/Kgdrwt)	
1 dimethylformamide	1.960	1.960	0.000	13492	0.26537	9.23 (M)	MS
\$ 2 diethylformamide	2.680	2.680	0.000	19376	0.38049	13.2 (R)	

QC Flag Legend

R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C116A1.b\BCI4166.d
Date : 16-SEP-2009 12:19

Client ID: SB-410-6.0/8.0-XMS

Sample Info: DMFB036A.M,GC11C116A1.B,1,WG68398-4

Purge Volume: 0.0


Column Phase: ZB-WAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C116A1.b\BCI4166.d\BCI4166.RAW



Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4168.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4168.d
Lab Smp Id: WG68398-5 Client Smp ID: SB-410-6.0/8.0-XMSD
Inj Date : 16-SEP-2009 12:48
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI16A1.B,1,WG68398-5
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: MSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00120	Sample Weight
M	16.678	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE	
	ON-COLUMN			FINAL				
	(mg/L)	(mg/Kgdrwt)	=====	=====	=====	=====		
1 dimethylformamide	1.960	1.960	0.000	14003	0.27463	11.0 (M)	M5	
\$ 2 diethylformamide	2.680	2.680	0.000	19516	0.38252	15.3 (R)	<i>JLP 09/2009</i>	

QC Flag Legend


R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14168.d
Date : 16-SEP-2009 12:48

Client ID: SB-410-6.0\8.0-XMSD
Sample Info: DMFB038A.M,GC11C116A1.B,1,WG68398-5
Purge Volume: 0.0
Column phase: ZB-MAX

\\\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14168.d\BC14168.RAW

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/28/09
Received Date: 08/29/09
Extraction Date: 09/08/09
Analysis Date: 09/16/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-6 & WG68398-7
Client ID: SB-451-2.5/4.5-XMS & SB-451-2.5/4.5-XMSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	MS SPIKE	MSD SPIKE	SAMPLE CONC.	MS CONC.	MSD CONC.	MS %REC.	MSD %REC.	%RPD LIMIT	QC. LIMITS
dimethylformamide	8.0	8.6	0.00	10	10	126	119	1.0	50 70-130

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4170.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4170.d
Lab Smp Id: WG68398-6 Client Smp ID: SB-451-2.5/4.5-XMS
Inj Date : 16-SEP-2009 13:16
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI16A1.B, 1, WG68398-6
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: MS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00130	Sample Weight
M	4.330	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE	
	ON-COLUMN			FINAL				
	RT	EXP RT	DLT RT	RESPONSE	(mg/L)	(mg/Kgdrwt)		
1 dimethylformamide	1.960	1.960	0.000	16202	0.31445	10.1(M)	M5	
\$ 2 diethylformamide	2.680	2.680	0.000	23132	0.43488	14.0 (RM)		

QC Flag Legend

R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C116A1.b\BC14170.d
Date : 16-SEP-2009 13:16

Client ID: SB-451-2,5/4-5-XMS

Sample Info: DMFB038A.M\GC11C116A1.B.1.WG6839B-6

Purge Volume: 0.0


Column phase: ZB-MAX

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53

\\Target_server\GC\chem\gc11.i\GC11C116A1.b\BC14170.d\BC14170.RAW



Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4172.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4172.d
Lab Smp Id: WG68398-7 Client Smp ID: SB-451-2.5/4.5-XMSD
Inj Date : 16-SEP-2009 13:44
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI16A1.B,1,WG68398-7
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: MSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00122	Sample Weight
M	4.330	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN	FINAL	
					(mg/L)	(mg/Kgdrwt)	
1 dimethylformamide	1.960	1.960	0.000	15342	0.29887	10.2 (M)	M5
\$ 2 diethylformamide	2.680	2.680	0.000	22781	0.42980	14.7 (RM)	

QC Flag Legend

R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14172.d

Date : 16-SEP-2009 13:44

Client ID: SB-451-2,5/4,5-XMSD

Sample Info: DMFB038A.M,GC11C116A1.B,1,W568398-7

Purge Volume: 0.0


Column phase: ZB-Max

\\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14172.d\BC14172.RAW

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53



KATAHDIN ANALYTICAL SERVICES
MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 08/31/09
Received Date: 09/02/09
Extraction Date: 09/08/09
Analysis Date: 09/16/09
Report Date: 09/21/2009
Matrix: SOIL

Lab ID: WG68398-8 & WG68398-9
Client ID: SB-442-8.0/10-XXMS & SB-442-8.0/10-XXMSD
SDG: WIL-4
Extracted by: JLP
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 8033M
Lab Prep Batch: WG68398
Units: mg/Kgdrwt

COMPOUND	MS SPIKE	MSD SPIKE	SAMPLE CONC.	MS CONC.	MSD CONC.	MS %REC.	MSD %REC.	%RPD %RPD	QC. LIMIT	QC. LIMITS
dimethylformamide	6.0	6.5	0.00	7.6	8.0	127	122	5	50	70-130

Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4174.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4174.d
Lab Smp Id: WG68398-8 Client Smp ID: SB-442-8.0/10-XXMS
Inj Date : 16-SEP-2009 14:12
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI16A1.B, 1, WG68398-8
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: MS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * (100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00191	Sample Weight
M	12.700	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN (mg/L)	FINAL (mg/Kgdrwt)	
	====	=====	=====	=====	=====	=====	=====
1 dimethylformamide	1.960	1.960	0.000	16365	0.31740	7.61(M)	MS
\$ 2 diethylformamide	2.680	2.680	0.000	21956	0.41785	10.0(RM)	<i>JLP 09/2009</i>

QC Flag Legend


R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14174.d
Date : 16-SEP-2009 14:12
Client ID: SB-442-8.0\10-XMS

Sample Info: DMFB038A.M,GC11C116A1.B,1,WG68398-8
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP

Column diameter: 0.53
\\Target_server\GG\chem\gc11.i\GC11C116A1.b\BC14174.RAW



Data File: \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4176.d
Report Date: 21-Sep-2009 10:43

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\BCI4176.d
Lab Smp Id: WG68398-9 Client Smp ID: SB-442-8.0/10-XXMSD
Inj Date : 16-SEP-2009 14:40
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M, GC11CI16A1.B,1,WG68398-9
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI16A1.b\dmfB038A.m
Meth Date : 17-Sep-2009 07:06 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: MSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * (100/(100-M)) * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Vt	0.04000	Volume of final extract (L)
Vo	0.00175	Sample Weight
M	12.700	% Moisture
Cpnd Variable		Local Compound Variable

Compounds	CONCENTRATIONS						REVIEW CODE
	RT	EXP RT	DLT RT	RESPONSE	ON-COLUMN	FINAL	
					(mg/L)	(mg/Kgdrwt)	
1 dimethylformamide	1.960	1.960	0.000	15728	0.30586	8.01(M)	MS
\$ 2 diethylformamide	2.680	2.680	0.000	22306	0.42292	11.1(RM)	

QC Flag Legend

R - Spike/Surrogate failed recovery limits.
M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11C116A1.b\BCI4176.d
Date : 16-SEP-2009 14:40

Client ID: SB-442-9.0\10-KXMSD

Sample Info: DMFB038A.M,GC11C116A1.B,1,WG68398-9

Purge Volume: 0.0


Column phase: ZB-WAX

\\Target_server\GC\chem\gc11.i\GC11C116A1.b\BCI4176.RAW

Instrument: gc11.i

Operator: JLP

Column diameter: 0.53



Logbooks and Supporting Documents

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal _____ Power _____

Reviewed by/Date: _____

Date	Init	Result File	Sample Number	Accept Y/N	Method Channel A: B:	Column	Comments
9-15-09	JLPBCI4072	(ow Pt test		Y	DMFB037A	227	
		73	I(CAL 0.02	Y	DMFB038A		GCV2306
		74	↓ 0.05	Y			GCV2307
		75	↓ 0.1	Y			GCV2308
		76	W	N			
		77	I(CAL 0.25	Y			GCV2309
		78	W	N			
		79	I(CAL 0.5	Y			GCV2310
		80	W	N			
		81	W	N			GCV2311
		82	I(CAL 1.0	Y			
		83	W	N			
		84	W	↓			
		85	W	↓			
		86	W648460-1	Y			
		87	↓ -2	Y			
		88	W	N			
		89	W648460-3	Y			
		90	W	N			
		91	SC5104-10RA B	Y			
		92	SC5142-8RA	Y			
		93	SC5326-5RA	Y			
		94	CV 0.25	Y			GCV2309
		95	W	N			
		96	SC4941-4RA	Y			
		97	SC4945-4RA	Y			
		98	↓ -2 RA	Y			

JLP 091509

	STANDARD ID	uL added	STD. CODE	STD. CODE
1	Surrogate	5	GCV2305	2346
2	LCS	10	GCV2305	
3	CV	—	GCV2306	2346
4				

JLP 091509

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Reviewed by/Date: _____

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal _____ Power _____

Date	Init	Result File	Sample Number	Accept Y/N	Method Channel A: B:	Column	Comments
9.6.09	JLR	BCJ4 099	SC4995-3RA	Y	DMFB038A	227	
		100	-4				
		101	-5				
		102	-6				
		103	-7				
		104	-8				
		105	-9				
		106	CV 0.25				
		107	SC4995-10RA W	N			
		108	SC4995-10RA	Y			
		109	SC5041-1				
		110	-2				
		111	-3				
		112	-4				
		113	WG68045-4				
		114	W				
		115	WG68045-5				SPKET
		116	W				
		117	WG68045-6				
		118	W				
		119	WG68045-7				
		120	W				
		121	WG68045-8				SPKET
		122	W				
		123	CV 0.25				
		124	WG68045-9				SPKET
↓	↓	↓	125 W			↓	

	STANDARD ID	uL added	STD. CODE	STD. CODE
1	Surrogate			
2	LCS			
3	CV	~	6CV2309	
4				

Katahdin Analytical Services, Inc
 GC Laboratory Instrument Runlog
 Instrument GC11

Method (circle):
 SW846 8015M - Glycols
 SW846 8015M - Alcohols
 SW846 8015M - 2-MOE
 SW846 8033M - DMF
 Signal _____ Power _____

Reviewed by/Date: _____

Date	Init	Result File	Sample Number	Accept Y/N	Method Channel A: B:	Column	Comments
9-15-09	JWP	BCI4	126 W648397-1	Y	DMF B030A	227	
			127 ↓ -2	Y			
			128 W	N			
			129 W648398-3	Y			
			130 W	N			
			131 SCS042-1	Y			
			132 ↓ -2	↓			
			133 ↓ -3	↓			
9-16-09		134	-4				
		135	↓ -5				
		136 ↓	-6				
		137 CV 0.25		↓			
		138 W		N			
		139 SCS042-7		Y			
		140 SCS104-1		↓			
		141 ↓	-2				
		142 ↓	-3				
		143 ↓	-4				
		144 ↓	-5				
		145 ↓	-6				
		146 ↓	-7				
		147 ↓	-8				
		148 ↓	-9				
		149 CV 0.25		↓			
		150 W		N	↓		
9-16-09	JWP	151	CV 0.25	Y			
↓	↓	152	W	N	↓		

	STANDARD ID	uL added	STD. CODE	STD. CODE
1	Surrogate			
2	LCS			
3	CV	()	CV2309	
4				

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal _____ Power _____

Reviewed by/Date: _____

Date	Init	Result File	Sample Number	Accept Y/N	Method Channel A: B:	Column	Comments
9-16-04	JLR	ACI4153	WG68495-1	Y	Dmf8038A	227	
		154	↓ -2	Y			
		155	W	N			
		156	WG68495-3	Y			SS↑
		157	W	N			
		158	SC4995-11 B	Y			
		159	WG68045-9RA	Y			SAKE + SS↑
		160	W	N			
		161	CV 0.25	Y			
		162	W	N			
		163	SC5141-1	Y			
		164	↓ -2	Y			SS↑
		165	↓ -3	Y			SS↑
		166	WG68398-4	Y			SS↑
		167	W	N			
		168	WG68398-5	Y			SS↑
		169	W	N			
		170	WG68398-6	Y			SS↑
		171	W	N			
		172	WG68398-7	Y			SS↑
		173	W	N			
		174	WG68398-8	Y			SS↑
		175	W	N			
		176	WG68398-9	Y			SS↑
		177	W	N			
		178	CV 0.25	Y			↑
		179	W	N			

	STANDARD ID	uL added	STD. CODE	STD. CODE
1	Surrogate	5	GCV2346	
2	LCS	10	GCV2305	
3	CV	—	GCV2309	
4				

KATAHDIN ANALYTICAL SERVICES
GC SOIL PREP LOG

D₁ H₂O

Date of Sample Preparation	Analyte initials	Sample #	Sample Weight (g)	Volume Measured (mL)	Spike ID and Volume (µL)	Surrogate ID and Volume (µL)	Method	Comments
9-8-09	JCF	W6083981	0.99	60	N/A	200µL GCV 2302 100µL 70	8033	Shaken Start 153C Stop 0725
		-2	0.99		100µL GCV 2304 100µL	100µL GCV 2302 100µL		
		-3	1.02					
		-4	1.38					SECTION -3 MSA
		-5	1.20					-3 MSD
		-6	1.30					-9 MS
		-7	1.22					-9 MSD
		-8	1.91					SECTION -3 NS
		-9	1.75					-3 MSD
		SC5042-1 A	1.18	N/A		200µL GCV 2302 100µL 70		
		-2	1.23					
		-3	1.51					
		-4	1.20					
		-5	2.03					
		-6	1.38					
		-7	1.20					
		-8	1.51					
		-9	1.20					
		-10	1.38					
		-11	1.20					
		-12	1.51					
		-13	1.20					
		-14	1.51					
		-15	1.20					
		-16	1.51					
		-17	1.20					
		-18	1.51					
		-19	1.20					
		-20	1.51					
		-21	1.20					
		-22	1.51					
		-23	1.20					
		-24	1.51					
		-25	1.20					
		-26	1.51					
		-27	1.20					
		-28	1.51					
		-29	1.20					
		-30	1.51					
		-31	1.20					
		-32	1.51					
		-33	1.20					
		-34	1.51					
		-35	1.20					
		-36	1.51					
		-37	1.20					
		-38	1.51					
		-39	1.20					
		-40	1.51					
		-41	1.20					
		-42	1.51					
		-43	1.20					
		-44	1.51					
		-45	1.20					
		-46	1.51					
		-47	1.20					
		-48	1.51					
		-49	1.20					
		-50	1.51					
		-51	1.20					
		-52	1.51					
		-53	1.20					
		-54	1.51					
		-55	1.20					
		-56	1.51					
		-57	1.20					
		-58	1.51					
		-59	1.20					
		-60	1.51					
		-61	1.20					
		-62	1.51					
		-63	1.20					
		-64	1.51					
		-65	1.20					
		-66	1.51					
		-67	1.20					
		-68	1.51					
		-69	1.20					
		-70	1.51					
		-71	1.20					
		-72	1.51					
		-73	1.20					
		-74	1.51					
		-75	1.20					
		-76	1.51					
		-77	1.20					
		-78	1.51					
		-79	1.20					
		-80	1.51					
		-81	1.20					
		-82	1.51					
		-83	1.20					
		-84	1.51					
		-85	1.20					
		-86	1.51					
		-87	1.20					
		-88	1.51					
		-89	1.20					
		-90	1.51					
		-91	1.20					
		-92	1.51					
		-93	1.20					
		-94	1.51					
		-95	1.20					
		-96	1.51					
		-97	1.20					
		-98	1.51					
		-99	1.20					
		-100	1.51					

Reviewed By: _____

Date: _____

KATAHDIN ANALYTICAL SERVICES
GC SOIL PREP LOG

Date of Sample Preparation	Analyst Initials	Sample #	Sample Weight (g)	Volume Measured (mL)	Spike ID and Volume (µL)	Surrogate ID and Volume (µL)	Method	Comments
9/8/09	JVR	SC50412-7A	1.43	40	N/A	200µl GCU 230240	8033	
		SC51091-1	1.49			100µl GCU 230240		
		-2	1.32			100µl GCU 230240		
		-3	1.68					
		-4	1.28					
		-5	1.41					
		-6	1.27					
		-7	1.19					
		-8	1.33					
		-9	1.87					
		SC51411-1	1.82					
		-2	1.82					
		-3	1.58					
								JVR 09/09/09

CONVENTIONAL AND PHYSICAL ANALYTICAL DATA

QC Summary Section

Quality Control Report**Blank Sample Summary Report****Total Solids**

<u>Samp Type</u>	<u>QC Batch</u>	<u>Anal. Method</u>	<u>Anal. Date</u>	<u>Prep. Date</u>	<u>Result</u>	<u>PQL</u>
MBLANK	WG68624	ASTM D2216	14-SEP-09	11-SEP-09	U 1 %	1 %
MBLANK	WG68699	ASTM D2216	16-SEP-09	15-SEP-09	U 1 %	1 %

Quality Control Report

Laboratory Control Sample Summary Report

Cert No E87604

Total Solids

Lab Sample Id	Samp Type	QC Batch	Analysis Date	Prep Date	Units	Spike Amt.	Result	Recovery	Acceptance Range	RPD
WG68624-2	LCS	WG68624	14-SEP-09	11-SEP-09	%	90	91.	101	80-120	
WG68699-2	LCS	WG68699	16-SEP-09	15-SEP-09	%	90	90.	100	80-120	

Quality Control Report

Duplicate Sample Summary Report

Total Solids

Duplicate Sample ID	Original Sample ID	QC Batch	Analysis Date	Result Units	Sample Result	Duplicate Result	RPD(%)	RPD Limit
WG68624-4	SC5104-3	WG68624	14-SEP-09	%	83.	83.	0	20

Sample Data Section

KATAHDIN ANALYTICAL SERVICES – INORGANIC DATA QUALIFIERS

(Refer to BOD Qualifiers Page for BOD footnotes)

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

- U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.
- E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.
- J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).
- I-7 The laboratory's Practical Quantitation Level could not be achieved for this parameter due to sample composition, matrix effects, sample volume, or quantity used for analysis.
- A-4 Please refer to cover letter or narrative for further information.
- MCL Maximum Contaminant Level
- NL No limit
- NFL No Free Liquid Present
- FLP Free Liquid Present
- NOD No Odor Detected
- TON Threshold Odor Number
- H1 Please note that the regulatory holding time for pH is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. pH for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.
- H2 Please note that the regulatory holding time for DO is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. DO for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.
- H3 Please note that the regulatory holding time for sulfite is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Sulfite for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.
- H4 Please note that the regulatory holding time for residual chlorine is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Residual chlorine for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

Report of Analytical Results

* **Client:** Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-1
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-403-0.0/1.0-X	SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	93. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-2
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-403-6.0/8.0-X

Matrix

SL

Date Sampled

26-AUG-09

Date Received

27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	47. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-3
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-404-5.0/7.0-X

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	85. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-4
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-409-0.0/1.0-X	SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-5
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-409-6.0/8.0-X

Matrix

SL

Date Sampled

26-AUG-09

Date Received

27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	81. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-6
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-411-0.0/1.0-X	SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5042-7
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-411-4.7/6.7-X	SL	26-AUG-09	27-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	95. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-1
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-410-0.0/1.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	90. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-2
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-410-6.0/8.0-D

Matrix

SL

Date Sampled

27-AUG-09

Date Received

29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	82. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-3
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-410-6.0/8.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	83. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-4
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-444-0.0/1.0-X

Matrix

SL

Date Sampled

27-AUG-09

Date Received

29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	95. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-5
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-444-5.0/7.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	88. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-6
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-449-0.0/I.0-X	SL	27-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	92. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-7
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-451-0.0/1.0-X	SL	28-AUG-09	29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	96. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-8
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-451-2.5/4.5-D

Matrix

SL

Date Sampled

28-AUG-09

Date Received

29-AUG-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5104-9
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

<u>Sample Description</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
OC-SB-451-2.5/4.5-X	SL	28-AUG-09	29-AUG-09

<u>Parameter</u>	<u>Result</u>	<u>Adj PQL</u>	<u>Anal. Method</u>	<u>QC.Batch</u>	<u>Anal. Date</u>	<u>Prep. Method</u>	<u>Prep. Date</u>	<u>Analyst</u>	<u>Footnotes</u>
Total Solids	96. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5141-1
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-442-0.0/1.0-X

Matrix

SL

Date Sampled

31-AUG-09

Date Received

02-SEP-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	94. %	1	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5141-2
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-442-8.0/10-DU

<u>Matrix</u>	<u>Date Sampled</u>	<u>Date Received</u>
SL	31-AUG-09	02-SEP-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	88. %	I	SM2540G	WG68624	14-SEP-09 10:10:00	ASTM D2216	11-SEP-09	KT	

Report of Analytical Results

Client: Chris Ricardi
 Mactec Engineering and Consulting
 P.O. Box 7050 DTS
 Portland, ME 04112-7050

Lab Sample ID: SC5141-3
Report Date: 25-SEP-09
Client PO: ERRE9844 REWI0014
Project: Wilmington
SDG: WIL-4

Sample Description

OC-SB-442-8.0/10-XX

Matrix

SL

Date Sampled

31-AUG-09

Date Received

02-SEP-09

Parameter	Result	Adj PQL	Anal. Method	QC.Batch	Anal. Date	Prep. Method	Prep. Date	Analyst	Footnotes
Total Solids	87. %	I	SM2540G	WG68699	16-SEP-09 08:30:00	ASTM D2216	15-SEP-09	JF	

Raw Data Section

TOTAL SOLIDS BATCH REPORT
 Sep 22 2009, 04:11 pm
 Batch: WG68624

Sample	Matrix	Type	Batch	Prep Date	Tare	Initial	Final	Date by	Raw TS	Rep TS	Recovery	RPD
SC5042-1	SL	SAMP	WG68624	11-SEP-09	.96 g	7.771 g	7.32 g	KT	14-SEP-09	93.3780	93.	%
SC5042-2	SL	SAMP	WG68624	11-SEP-09	.968 g	11.234 g	5.758 g	KT	14-SEP-09	46.6590	47.	%
SC5042-3	SL	SAMP	WG68624	11-SEP-09	.978 g	12.781 g	11.012 g	KT	14-SEP-09	85.0120	85.	%
SC5042-4	SL	SAMP	WG68624	11-SEP-09	.954 g	6.54 g	6.237 g	KT	14-SEP-09	94.5760	94.	%
SC5042-5	SL	SAMP	WG68624	11-SEP-09	.957 g	8.201 g	6.842 g	KT	14-SEP-09	81.2400	81.	%
SC5042-6	SL	SAMP	WG68624	11-SEP-09	.957 g	6.45 g	6.104 g	KT	14-SEP-09	93.7010	94.	%
SC5042-7	SL	SAMP	WG68624	11-SEP-09	.967 g	7.912 g	7.558 g	KT	14-SEP-09	94.9030	95.	%
SC5104-1	SL	SAMP	WG68624	11-SEP-09	.98 g	8.551 g	7.781 g	KT	14-SEP-09	89.8300	90.	%
SC5104-2	SL	SAMP	WG68624	11-SEP-09	1 g	11.184 g	9.343 g	KT	14-SEP-09	81.9230	82.	%
SC5104-3	SL	SAMP	WG68624	11-SEP-09	1.015 g	8.312 g	7.095 g	KT	14-SEP-09	83.3220	83.	%
SC5104-4	SL	SAMP	WG68624	11-SEP-09	.984 g	10.28 g	9.853 g	KT	14-SEP-09	95.4070	95.	%
SC5104-5	SL	SAMP	WG68624	11-SEP-09	.951 g	6.74 g	6.02 g	KT	14-SEP-09	87.5630	88.	%
SC5104-6	SL	SAMP	WG68624	11-SEP-09	.985 g	8.916 g	8.311 g	KT	14-SEP-09	92.3720	92.	%
SC5104-7	SL	SAMP	WG68624	11-SEP-09	.975 g	7.096 g	6.265 g	KT	14-SEP-09	94.9520	95.	%
SC5104-8	SL	SAMP	WG68624	11-SEP-09	.999 g	7.626 g	7.256 g	KT	14-SEP-09	94.4170	94.	%
SC5104-9	SL	SAMP	WG68624	11-SEP-09	.962 g	9.407 g	9.424 g	KT	14-SEP-09	95.6700	96.	%
SC5141-1	SL	SAMP	WG68624	11-SEP-09	.983 g	8.3 g	7.836 g	KT	14-SEP-09	93.6590	94.	%
SC5141-2	SL	SAMP	WG68624	11-SEP-09	.964 g	13.879 g	12.298 g	KT	14-SEP-09	87.7580	88.	%
SC5267-3	SL	SAMP	WG68624	11-SEP-09	1.001 g	8.347 g	8.18 g	KT	14-SEP-09	97.7270	98.	%
SC5267-5	SL	SAMP	WG68624	11-SEP-09	.968 g	8.766 g	8.556 g	KT	14-SEP-09	97.3070	97.	%
WG68624-1	SL	MBLANK	WG68624	11-SEP-09	.989 g	.989 g	.99 g	KT	14-SEP-09	0.1000	1.	%
WG68624-2	SL	LCS	WG68624	11-SEP-09	1.004 g	6.771 g	6.265 g	KT	14-SEP-09	91.2260	91.	%
WG68624-3	SL	DUP	WG68624	11-SEP-09	1.002 g	10.293 g	10.063 g	KT	14-SEP-09	97.5240	98.	%
WG68624-4	SL	DUP	WG68624	11-SEP-09	.976 g	14.376 g	12.123 g	KT	14-SEP-09	83.1860	83.	%

Comments:

SC5104-3 MS/MSD
 SC5104-9 MS/MSD
 SC5267-3 SC5267-3
 WG68624-1 SC5267-3
 WG68624-2 SC5267-3
 WG68624-3 SC5104-3
 WG68624-4

Katahdin Analytical Services 5000028

Entered by: HT

Date: 09/23/09

Accepted by: DR

Date: 09/24/09



KATAHDIN ANALYTICAL SERVICES, INC.

68624

TOTAL SOLIDS: ASTM D2216		PQL: 0.10% BALANCE ID:	
TOTAL VOLATILE SOLIDS: SM2540 G		E160.4	
ANALYST IN:	HJT	ANALYST OUT:	HT
DATE IN:	09/11/09	DATE OUT:	09/14/09
TIME IN:	18:00	TIME OUT:	8:00
TEMP IN:	172.9	TEMP OUT:	98
Oven ID:		Muffle Oven ID:	
CHECKED BY:		DATE:	
PQL: 0.10%	ASTM CLASS 1 WEIGHTS	TRUE WT (g)	INITIAL WT (g)
BLANK	49	0.989	0.989
Leg	50	1.004	6.971
SC5267-3	51	1.001	8.347
-5D49	52	1.002	10.293
-5	53	0.968	8.766
SC5042-1	54	0.960	7.771
-2	55	0.968	11.254
-3	56	0.978	12.781
-4	57	0.951	6.540
-5	58	0.959	8.201
-6	59	0.959	6.750
SC5204-1	60	0.967	7.912
-7	61	0.980	8.557
-8	62	1.000	11.184
-9	63	1.016	8.372
-3D49	64	0.976	14.376
-4	65	0.984	10.280
-5	66	0.951	6.740
-6	67	0.985	8.916
-7	68	0.975	17.326
-8	69	0.929	2.626
-9	70	0.962	9.807
SC5241-1	71	0.983	8.300
-2	72	0.964	12.877

TOTAL SOLIDS BATCH REPORT
Sep 16 2009, 09:27 am
Batch: WG68699

Sample	Matrix	Type	Batch	Prep Date	Tare	Initial	Final	by	Date	Raw TS	Rep TS	Recovery	RPD
SC5141-3	SL	SAMP	WG68699	15-SEP-09	1.017 g	6.765 g	6.035 g	JF	16-SEP-09	87.3000	87.	%	
SC5142-1	SL	SAMP	WG68699	15-SEP-09	.986 g	8.146 g	7.936 g	JF	16-SEP-09	97.0670	97.	%	
SC5142-2	SL	SAMP	WG68699	15-SEP-09	1.093 g	5.467 g	4.736 g	JF	16-SEP-09	83.2880	83.	%	
SC5142-3	SL	SAMP	WG68699	15-SEP-09	1.078 g	6.514 g	6.042 g	JF	16-SEP-09	91.3170	91.	%	
SC5142-4	SL	SAMP	WG68699	15-SEP-09	1.12 g	5.183 g	4.875 g	JF	16-SEP-09	92.4190	92.	%	
SC5142-5	SL	SAMP	WG68699	15-SEP-09	1.088 g	4.874 g	4.152 g	JF	16-SEP-09	80.9300	81.	%	
SC5255-1	SL	SAMP	WG68699	15-SEP-09	999 g	5.589 g	5.243 g	JF	16-SEP-09	92.4620	92.	%	
SC5255-2	SL	SAMP	WG68699	15-SEP-09	1.008 g	5.97 g	4.41 g	JF	16-SEP-09	68.5610	68.	%	
SC5256-1	SL	SAMP	WG68699	15-SEP-09	1.010 g	6.809 g	6.278 g	JF	16-SEP-09	70.0432	70.6499	%	
SC5185-1	SL	SAMP	WG68699	15-SEP-09	.992 g	4.805 g	4.645 g	JF	16-SEP-09	95.8040	96.	%	
SC5185-2	SL	SAMP	WG68699	15-SEP-09	.995 g	5.106 g	4.478 g	JF	16-SEP-09	84.7240	85.	%	
WG68699-1	SL	MBLANK	WG68699	15-SEP-09	.947 g	.947 g	.946 g	JF	16-SEP-09	-0.1000	1	%	
WG68699-2	SL	LCS	WG68699	15-SEP-09	1.006 g	6.026 g	5.51 g	JF	16-SEP-09	89.7210	90.	%	
WG68699-3	SL	DUP	WG68699	15-SEP-09	1.009 g	4.844 g	4.693 g	JF	16-SEP-09	96.0620	96.	%	

Comments:

SC5141-3 MS/MSD
SC5385-1
WG68699-1
SC5185-2 SC5385-1
WG68699-2
SC5385-1
WG68699-3 SC5385-1

Entered by: Jeffrey Date: 9-16-09

Accepted by: _____ Date: _____

Approved by: Joe Date: 9/17/09 /

Reviewed by: _____ Date: _____

KATAHDIN ANALYTICAL SERVICES, INC.

TOTAL SOLIDS: ASTM D2216		PQL: 0.10%		BALANCE ID: 5466899 R_09145	
TOTAL VOLATILE SOLIDS: SM2540 G		E160.4		PQL: 0.10%	
ANALYST IN: J. P. F.		ANALYST OUT: J. P. F.		ASTM CLASS 1 WEIGHTS	
DATE IN:	J-15-09	DATE OUT:	J-16-09	TRUE WT (g)	INITIAL WT (g)
TIME IN:	1220	TIME OUT:	1200	2.0000	2.000
TEMP IN:	105	TEMP OUT:	105	5.0000	5.000
Oven ID: 102 New 49. F. 1/15/09	Muffle Oven ID:	DATE:	102/16/09	10.0000	10.000
CHECKED BY:				100.0000	100.000
SAMPLE ID	DISH ID	DISH WT (g)	DISH WET WT (g)	DISH DRY WT (g)	DISH/ASH WT (g)
B14	1	0.947	0.947	0.946	0.946
-641	2	1.006	1.006	6.026	5.510
SC 53.85-1F	3	0.922	0.922	4.805	4.645
J 74-1E	4	1.009	1.009	4.814	4.693
J -2E	5	0.995	0.995	5.106	4.878
PC5255-1H	6	0.999	0.999	5.179	6.243
J -2H	7	1.008	1.008	5.970	4.420
SC 63.56-1A	8	1.010	1.010	6.809	6.278
SC 51.41-3A	9	1.017	1.017	6.765	6.035
SC 52.94-13	10	0.981	0.981	2.725	2.680
SC 52.94-6B	11	0.996	0.996	2.342	2.293
J 1D	12	0.999	0.999	2.303	2.255
-2A	13	0.992	0.992	2.945	2.905
-3A	14	1.014	1.014	2.524	2.480
-4A	15	0.988	0.988	2.712	2.656
-5A	16	1.005	1.005	2.794	2.713
-7A	17	0.990	0.990	2.897	2.855
-8A	18	0.985	0.985	3.223	3.146
-9A	19	0.993	0.993	2.549	2.478
SC 54.2-1A	20	0.986	0.986	8.146	7.936
-2A	21	1.003	1.003	5.467	4.736
-3A	22	1.075	1.075	6.54	6.042
-4A	23	1.120	1.120	5.183	4.875
-5A	24	1.089	1.089	4.824	4.152